CONTENTS OF VOLUME 27

Number 1

Obituary v

Announcement vii

Review Article Number 28
Proanthocyanidins and the lignin connection 1 H. A. STAFFORD

Growth and Metabolism
Endogenous gibberellins in the potato, *Solanum tuberosum* 7 M. G. JONES, R. HORGAN and M. A. HALL

Identification of gibberellins A_1 and A_{19} from *Populus balsamifera* × *P. deltoides* 11 S. B. ROOD, N. J. BATE, L. N. MANDER and R. P. PHARIS

The legumin-like storage protein of *Lupinus albus* seeds 15 M. DURANTI, N. GUERRIERI, T. TAKAHASHI and P. CERLETTI

Immunoreactivity for canatoxin and concanavalin A among proteins of leguminous seeds 25 C. R. CARLINI, G. B. S. BARCELLOS, A. D. V. BAETA-NEVES and J. A. GUIMARÃES

Psophocarpin B_1, a storage protein of *Psophocarpus tetragonolobus*, has chymotrypsin inhibitory activity 31 A. ROY and M. SINGH

Polyphenolic inhibitors of alpha-acid oxidase activity 35 E. A. WILLIAMS and R. C. MENARY

Citrate synthase and malate dehydrogenase from tomato fruit 41 D. JEFFERY, P. W. GOODENOUGH and P. D. J. WEITZMAN

Proteases of Euphorbiaceae 45 K. R. LYNN and N. A. CLEVETTE-RADFORD

Metabolism of chlorophenylalanines in crop and weed plants in relation to the formation of potential herbicidal end products 51 D. C. TAYLOR, F. WIGHTMAN and C. W. KAZAKOFF

Carbohydrate and enzyme distribution in protoplasts from Valencia orange juice sacs 73 E. ECHEVERRIA and J. VALICH

Ecological Biochemistry
Relationships between the structure and the phytotoxicity of the fungal toxin tenuazonic acid 77 M. H. LEBRUN, L. NICOLAS, M. BOUTAR, F. GUADEMER, S. RANOMENJANAHARY and A. GAUDEMER

Steam volatile constituents from leaves of *Rhus typhina* 85 H.-J. BESTMANN, B. CLASSEN, U. KOBOLD, O. VOSTROWSKY, F. KLINGAUF and U. STEIN

Analysis of the floral fragrance of *Platanthera stricta* 91 J. M. PATT, D. F. RHOADES and J. A. CORKILL

The sesquiterpenes of *Lactarius deliciosus* and *Lactarius deterrimus* 97 O. BERGENDORFF and O. STERNER

A strophanthidin glycoside in Siberian wallflower: a contact deterrent for the Large White butterfly 101 M. ROTHSCHILD, H. ALBORN, G. STENHAGEN and L. M. SCHOONHOVEN

A highly efficient preparation of lunularic acid and some biological activities of stilbene and dihydrostilbene derivatives 109 T. HASHIMOTO, M. TORI and Y. ASAKAWA

Biosynthesis
Limonoid biosynthesis in the stem of *Citrus limon* 115 P. OU, S. HASEGAWA, Z. HERMAN and C. H. FONG

Cell Culture and Biotechnology
Immunologically active polysaccharides of *Echinacea purpurea* cell cultures 119 H. WAGNER, H. STUPPNER, W. SCHÄFER and M. ZENK

Formation of mono- and diterpenoids by cultured cells of *Thuja occidentalis* 127 J. Berlin and L. Witte

Biosynthesis and metabolism of sesquiterpenoid phytoalexins and triterpenoids in potato cell suspension cultures 133 P. A. Brindle, P. J. Kuhn and D. R. Threlfall

Chemotaxonomy

Essential oils of some *Sideritis* species from central and southern Spain 151 C. Mateo, J. Calderón and J. Sanz

Sesquiterpene lactones and other constituents of *Arnica acaulis* 155 W. Herz and V. E. Sosa

Distribution of cyclic bis(bibenzyls) in the South African liverwort *Marchantia polymorpha* 161 Y. Asakawa, K. Okada and G. W. Perold

External and vacuolar flavonoids from Ibero-North African *Sideritis* species. A chemosystematic approach 165 F. A. Tomás-Barberán, M. Rejdali, J. B. Harborne and V. H. Heywood

Flavonoids from *Gymnosperma glutinosum* 171 S. Yu, N. Fang and T. J. Mabry

Plant Chemistry

Isolation of α-corymbolol, an eudesmane sesquiterpene diol from *Cyperus articulatus* 179 B. Nyasse, R. Ghogomu Tih, B. L. Sondengam, M. T. Martin and B. Bodo

Terpenoids from *Sideritis varoi* 183 E. Cabrera, A. Garcia-Granados and M. A. Quecuty

Normarasmane sesquiterpenes from *Lactarius vellereus* 187 W. M. Daniewski, W. Kroszczynski, P. Skibicki, M. De Bernardi, G. Fronza, G. Vidari and P. Vita-Finzi

Further guaianolides from *Hymenopappus* species 193 F. Eid, J. Jakupovic, F. Bohlmann, L. Watson and J. R. Estes

Glaucolides and related sesquiterpene lactones from *Vernonia chamaedrys* 197 C. A. N. Catalán, D. I. A. De Iglesias, J. Kavka, V. E. Sosa and W. Herz

Sesquiterpene lactones and other constituents from *Piptothrix areolare* 203 N. Fang, D. A. Gage and T. J. Mabry

Diterpenes from the latex of *Euphorbia broteri* 207 J. G. Urones, P. B. Barcala, Mª J. S. Cuadrado and I. S. Marcos

Neo-clerodane diterpenoids from *Teucrium micropodioides* 213 M. C. de la Torre, B. Rodríguez, M. Bruno, G. Savona, F. Piozzi and O. Servettaz

Abietane diterpenoids from *Salvia pubescens* 217 M. A. Galicia, B. Esquivel, A.-A. Sánchez, J. Cárdenas, T. P. Ramamoorthy and L. Rodríguez-Hahn

Candelabrone, a new abietane diterpene from the leaves of *Salvia candelabrum* 221 S. Cañigueral, J. Iglesias, F. Sánchez-Ferrando and A. Virgili

Diterpene alcohols from *Croton lacciferus* 225 B. M. R. Bandara and W. R. Wimalasiri

Macrolide diterpenes and other *ent*-labdanes from *Corymbium villosum* 227 C. Zdero and F. Bohlmann

3β-(3,4-Dihydroxycinnamoyl)-erythrodiol and 3β-(4-hydroxy-cinnamoyl)-erythrodiol from *Larrea tridentata* 233 H.-Z. Xue, Z.-Z. Lu, C. Konno, D. D. Soejarto, G. A. Cordell, H. H. S. Fong and W. Hodgson

Dukunolide D, E and F: new tetranortriterpenoids from the seeds of *Lansium domesticum* 237 M. NISHIZAWA, Y. NADEMOTO, S. SASTRAPRADJA, M. SHIRO and Y. HAYASHI

24β-Methylcholesta-5,22*E*,25-trien-3β-ol and 24α-ethyl-5α-cholest-22*E*-en-3β-ol from *Clerodendrum fragrans* 241 T. AKIHISA, P. GHOSH, S. THAKUR, S. OSHIKIRI, T. TAMURA and T. MATSUMOTO

A ring-B oxygenated phenanthrene derivative from the orchid *Bulbophyllum gymnopus* 245 P. L. MAJUMDER and S. BANERJEE (née BHATTACHARYYA)

Radioimmunoassay for the quantitative determination of hesperidin and analysis of its distribution in *Citrus sinensis* 249 G. A. BARTHE, P. S. JOURDAN, C. A. MCINTOSH and R. L. MANSELL

Acylated 6-hydroxyluteolin diglucosides from *Globularia elongata* 255 B. KLIMEK

Seven prenylated flavonol glycosides from two *Epimedium* species 259 T. FUKAI and T. NOMURA

Isoflavones from the gall and wood of *Wisteria brachybotrys* 267 M. KANEKO, H. NAKATA, F. TAKADA, M. MATSUMURA, C. KITAGAWA, S. SAKASHITA, M. NUNO and T. SAITOH

Four steroidal alkaloids from *Buxus papilosa* 271 M. I. CHOUDHARY, A.-UR-RAHMAN and M. SHAMMA

Short Reports

N-[(−)-Jasmonoyl]-*S*-tryptophan and a related tryptophan conjugate from *Vicia faba* 275 C. BRÜCKNER, R. KRAMELL, G. SCHNEIDER, J. SCHMIDT, A. PREISS, G. SEMBDNER and K. SCHREIBER

α-Alaninebetaine from *Cladophora* species 277 G. BLUNDEN, D. J. ROGERS, B. E. SMITH, C. H. TURNER, A. CARABOT C., A. MORALES M. and C. ROSQUETE P.

Evidence for kappa carrageenan in *Halarachnion ligulatum* 278 E. DESLANDES, J.-Y. FLOC'H and C. BODEAU-BELLION

Stereoconfiguration of sequoyitol by high resolution ^{1}H NMR 279 R. MUKHERJEE and C. L. C. DE MEDEIROS

Polyacetylenes from *Leucanthemum pallens* 282 I. S. BELLIDO, J. M. MIGUEL DEL CORRAL, M. GORDALIZA, P. TAMAME and E. CABALLERO

Sesquiterpenes from *Ageratina tomentella* 283 N. FANG and T. J. MABRY

Structures of two glutinopallal esters, new natural sesquiterpenoids from *Lactarius glutinopallens* 286 J. FAVRE-BONVIN and K. GLUCHOFF-FIASSON

Sesquiterpene lactones from *Gochnatia palosanto* and coumarins from *G. argentina* 288 E. E. GARCIA and E. GUERREIRO

epi-Danshenspiroketallactone from *Salvia miltiorrhiza* 290 H. W. LUO, S. CHEN, J. LEE and J. K. SNYDER

Stimulation of adventitious root formation on mung bean cuttings by Coleon O 293 E. G. DEVRIESE, K. BUFFEL and J. M. C. GEUNS

12-Epiteupolin II, a neo-clerodane diterpenoid from *Teucrium lamiifolium* 295 I. M. BONEVA, P. Y. MALAKOV and G. Y. PAPANOV

Triterpenoids from *Agrimonia pilosa* 297 T. KOUNO, N. BABA, Y. OHNI and N. KAWANO

Triterpenoids from *Salvia przewalskii* 299 N. WANG, M. NIWA and H.-W. LUO

Myrianthinic acid: a new triterpenoid from *Myrianthus arboreus* 301 F. N. Ngounou, D. Lontsi and B. L. Sondengam

Saponins from *Primula denticulata* 304 V. U. Ahmad, V. Sultana, S. Arif and Q. N. Saqib

Extended flavonoid biosynthetic capability in the aquatic fern genus *Pilularia* 307 K. R. Markham and E. S. Viotto

Herbacetin and gossypetin 3-glucuronide-8-glucosides from *Roemeria hybrida* 309 N. A. M. Saleh, S. A. Maksoud, W. M. M. Amer, K. R. Markham and D. Barron

Book Reviews

Biology and Molecular Biology of Plant–Pathogen Interactions: edited by J. A. Bailey 311 J. B. Harborne

Plant Molluscicides: edited by K. E. Mott 311 J. B. Harborne

Alkaloids: Chemical and Biological Perspectives, Volume 5: edited by S. W. Pelletier 312 J. B. Harborne

Number 2

Growth and Metabolism

Purification of a lectin from *Amaranthus leucocarpus* by affinity chromatography 313 E. Zenteno and J.-L. Ochoa

Characterization of catecholase and cresolase activities of monastrell grape polyphenol oxidase 319 A. Sánchez-Ferrer, R. Bru, J. Cabanes and F. García-Carmona

Purification and characterization of avocado lipoxygenase 323 L. Marcus, D. Prusky and B. Jacoby

A gas chromatographic-mass spectrometric assay for glycosylases 329 R. A. O'Neill, A. R. White, W. S. York, A. G. Darvill and P. Albersheim

Endogenous polyamine concentrations during development, storage and ripening of pear fruits 335 A. Toumadje and D. G. Richardson

The stability of the 1′,4′-diols of abscisic acid 339 G. T. Vaughan and B. V. Milborrow

Photobleaching of chloroplast pigments in leaves of a non-yellowing mutant genotype of *Festuca pratensis* 345 H. Thomas and P. Matile

4,4′-Dihydroxytruxillic acid as a component of cell walls of *Lolium multiflorum* 349 R. D. Hartley, F. R. Whatley and P. J. Harris

Chloroplast biogenesis: molecular structure of short wavelength chlorophyll *a* (E432 F662) 353 S. M. Wu and C. A. Rebeiz

Ecological Biochemistry

Dihydrotentoxin and a related dipeptide produced by *Alternaria alternata* 357 B. Liebermann, W. Ihn, E. Baumann and D. Tresselt

Lipid composition of *Porteresia coarctata* from two different mangrove habitats in India 361 S. Misra, A. Choudhury, S. Chattopadhyay and A. Ghosh

Stress compounds in the leaves of *Nicotiana undulata* induced by TMV inoculation 365 R. Uegaki, S. Kubo and T. Fujimori

Urodiolenone from grapefruit juice, a urinary metabolite found in hypertensive subjects 369 R. Chayen, Y. Mazur, H. Wyler, E. Berman, E. Potgieter and S. Goldberg

Volatile aroma constituents of celery 373 A. J. MacLeod, G. MacLeod and G. Subramanian

Canaliculatol, an antifungal resveratrol trimer from *Stemonoporous canaliculatus* 377 M. Bokel, M. N. C. Diyasena, A. A. L. Gunatilaka, W. Kraus and S. Sotheeswaran

Erycristin, a new antimicrobial petrocarpan from *Erythrina cristagalli* 381 L. A. Mitscher, S. R. Gollapudi, D. C. Gerlach, S. D. Drake, E. A. Véliz and J. A. Ward

Biosynthesis

The biosynthesis of the steroid, viridiol, by *Gliocladium deliquescens* 387 J. R. Hanson, M. A. O'Leary, H. J. Wadsworth and B. L. Yeoh

Intermediates in the formation of puberulin by *Agathosma puberula* 391 S. A. Brown, R. E. March, D. E. A. Rivett and H. J. Thompson

Metabolism of pipecolic acid derivatives in *Calliandra* and *Zapoteca* 397 L. A. Swain and J. T. Romeo

The incorporation of [2-^{13}C, ^{14}C, ^{15}N]-1-methyl-Δ^1-pyrrolinium chloride into cuscohygrine in *Erythroxylum coca* 401 E. Leete, S. H. Kim and J. Rana

Biotechnology and Cell Culture

Reduction of α,β-unsaturated ketones by plant suspension cultures 407 A. Kergomard, M. F. Renard, H. Veschambre, D. Courtois and V. Petiard

Differentiation responses in callus cultures of *Datura innoxia* by phospholipid precursors 411 K. Manoharan, S. Guha-Mukherjee and R. Prasad

Effects of light on anthraquinone production in *Rhamnus purshiana* suspension cultures 415 A. J. J. van den Berg, M. H. Radema and R. P. Labadie

Tropine alkaloids production by hairy root cultures of *Datura stramonium* and *Hyoscyamus niger* 419 M. Jaziri, M. Legros, J. Homes and M. Vanhaelen

Chemotaxonomy

Cyanogenesis in Australian species of *Acacia* 421 B. R. Maslin, J. E. Dunn and E. E. Conn

Surface waxes from seeds of *Hordeum vulgare* 429 H. Heinzen and P. Moyna

Constitution of the essential oil from an *Artemisia herba-alba* population of Spain 433 I. Feuerstein, A. Danin and R. Segal

Diterpenes from the rhizomes of *Alpinia formosana* 435 H. Itokawa, S. Yoshimoto and H. Morita

Alkaloid distribution in seeds of *Ormosia*, *Pericopsis* and *Haplormosia* 439 A. D. Kinghorn, R. A. Hussain E. F. Robbins, M. F. Balandrin, C. H. Stirton and S. V. Evans

Plant Chemistry

Three novel cyclic amides from *Clausena lansium* 445 M. Yang, Y. Chen and L. Huang

Regaloside A and B, acylated glycerol glucosides from *Lilium regale* 451 H. Shimomura, Y. Sashida, Y. Mimaki and N. Iida

Meijicoccene, a new cyclic hydrocarbon from *Botryococcus braunii* 455 M. Murakami, H. Nakano, K. Yamaguchi, S. Konosu, O. Nakayama, Y. Matsumoto and H. Iwamoto

Lipid constituents of *Tridax procumbens* 459 R. K. Verma and M. M. Gupta

Arylalkanones from *Myristica dactyloides* 465 N. S. Kumar, H. M. T. B. Herath and V. Karunaratne

Absolute structure of nepetaside, a new iridoid glucoside from *Nepeta cataria* 469 S. Xie, S. Uesato, H. Inouye, T. Fujita, F. Murai, M. Tagawa and T. Shingu

Sesquiterpenes from *Orthosphenia mexicana*	473	A. G. González, C. M. González, A. G. Ravelo, B. M. Fraga and X. A. Dominguez
Sesquiterpene lactones from *Serratula latifolia*	479	A. Rustaiyan and S. Faramarzi
Clerodane-type diterpenoids from *Salvia sousae*	483	B. Esquivel, J. Ochoa, J. Cárdenas, T. P. Ramamoorthy and L. Rodríguez-Hahn
Kaurane derivatives from *Robinsonia evenia*	487	M. Bittner, M. Silva, Z. Rozas, P. Pacheco, T. Stuessy, F. Bohlmann and J. Jakupovic
The structure of bartemidiolide, a clerodane-type diterpene from *Baccharis artemisioides*	489	C. E. Tonn, O. S. Giordano, R. Bessalle, F. Frolow and D. Lavie
Two grindelane diterpenoids from *Grindelia camporum*	493	J. J. Hoffmann, S. D. Jolad, B. N. Timmermann, R. B. Bates and F. A. Camou
Grindelane diterpenoids from *Isocoma tenuisecta*	497	S. D. Jolad, B. N. Timmermann, J. J. Hoffmann, R. B. Bates, F. A. Camou and T. J. Siahaan
Diterpenoids of *Halimium viscosum*	501	J. G. Urones, I. S. Marcos, P. B. Barcala and N. M. Garrido
Kolavane diterpenoids of *Vanclevea stylosa*	505	S. D. Jolad, B. N. Timmermann, J. J. Hoffmann, R. B. Bates, F. A. Camou and T. J. Siahaan
Terpenoid and flavone constituents of *Polemonium viscosum*	517	D. B. Stierle, A. A. Stierle and R. D. Larsen
Terpenoids from *Nepeta tuberosa* subsp. *reticulata* (II)	523	J. G. Urones, I. S. Marcos, J. F. Ferreras and P. B. Barcala
Soulattrone A, a C_{24} terpenoid from *Calophyllum soulattri*	527	S. K. Nigam, R. Banerji, S. Rebuffat, M. Cesario, C. Pascard and B. Bodo
The structure of imberbic acid, a 1α-hydroxy pentacyclic triterpenoid from *Combretum imberbe*	531	C. B. Rogers and G. Subramony
Triterpenoids from *Euphorbia maculata*	535	S. Matsunaga, R. Tanaka and M. Akagi
Triterpenoids from *Swertia petiolata*	539	S. Bhan, R. Kumar, A. K. Kalla and K. L. Dhar
Triterpenoid sapogenins of *Pittosporum phillyraeoides*	543	S. G. Errington and P. R. Jefferies
Determination of the geometrical configuration of naturally occurring mono-*cis*-lutein epoxides	547	J. Deli, P. Molnár, G. Tóth, J. Szabolcs and L. Radics
Resistant biopolymer in the outer walls of *Botryococcus braunii*, *B* race	551	A. Kadouri, S. Derenne, C. Largeau, E. Casadevall and C. Berkaloff
Monoaryl and cyclohexenone glycosides from needles of *Pinus sylvestris*	559	R. Andersson and L. N. Lundgren
New neolignans and lignans from the aril of *Myristica fragrans*	563	S. Hada, M. Hattori, Y. Tezuka, T. Kikuchi and T. Namba
A lignan from *Schizandra chinensis*	569	Y. Ikeya, H. Taguchi, H. Mitsuhashi, S. Takeda, Y. Kase and M. Aburada

9α-Hydroxypinoresinol, 9α-hydroxymedioresinol and related lignans from *Allamanda neriifolia* 575 F. Abe and T. Yamauchi

Tannins and other phenolics from *Myrica esculenta* bark 579 D. Sun, Z. Zhao, H. Wong and L. Y. Foo

Coumarins, acridone alkaloids and a flavone from *Citrus grandis* 585 T.-S. Wu, S.-C. Huang, T.-T. Jong, J.-S. Lai and C.-S. Kuoh

17,18-Didehydroloesenerine and 16,17-didehydroloesenerin-18-ol, alkaloids from *Maytenus loeseneri* 589 A. Preiss, M. Díaz and H. Ripperger

Strychnochromine, an unusual C_{18} indoline alkaloid from *Strychnos gossweileri* 595 L. Angenot, C. Coune, J. Quetin-Leclercq and D. Tavernier

An alkaloid from *Corydalis bungeana* 599 W. Zeng, W. Liang, C. He Q. Zheng and G. Tu

^{13}C NMR spectroscopy of solasodine glycosides from *Solanum laciniatum* 603 A. Neszmelyi, D. Machytka and M. M. Shabana

Short Reports

γ-Glutamylpeptides from *Rhynchosia albiflora* 607 B. Wathelet, M. Marlier, G. Dardenne and J. Casimir

A geranyl nerol derivative and other constituents from *Blainvillea latifolia* 609 P. Singh, M. Bhala, R. Jain and J. Jakupovic

Iridoid and phenolic glucoside from *Vitex rotundifolia* 611 I. Kouno, M. Inoue, Y. Onizuka, T. Fujisaki and N. Kawano

Eupatolide and borneol derivatives from *Florestina tripteris* 613 X. A. Domínguez, H. Sánchez, J. Slim, J. Jakupovic, T. V. Chau-Thi and F. Bohlmann

Helogynic acid, a homoditerpene, and other constituents from *Helogyne apaloidea* 616 C. Zdero, F. Bohlmann and M. O. Dillon

Sphaeropyrane, a diterpene from the marine red alga *Sphaerococcus coronopifolius* 621 F. Cafieri, L. de Napoli, E. Fattorusso and C. Santacroce

Sterebins E, F, G and H, diterpenoids of *Stevia rebaudiana* leaves 624 Y. Oshima, J. Saito and H. Hikino

Diterpenebutenolides in *Solidago gigantea* 626 J. Jurenitsch, J. Maurer, U. Rain and W. Robien

Presqualene alcohol from *Gibberella fujikuroi* 628 W. D. Nes, E. E. Van Tamelen and E. J. Leopold

24-Methylene-25-methylcholesterol in *Phaseolus vulgaris* seed: structural relation to brassinosteroids 629 S. ki Kim, T. Akihisa, T. Tamura, T. Matsumoto, T. Yokota and N. Takahashi

Tecomaquinone-III: a new quinone from *Tabebuia pentaphylla* 632 P. K. Sharma, R. N. Khanna, B. K. Rohatgi and R. H. Thomson

Lignans from *Machilus thunbergii* 634 H. Shimomura, Y. Sashida and M. Oohara

Cleomiscosin D, a coumarino-lignan from seeds of *Cleome viscosa* 636 S. Kumar, A. B. Ray, C. Konno, Y. Oshima and H. Hikino

Phenylpropanoid glycosides from *Calceolaria hypericina* 639 M. Nicoletti, C. Galeffi, I. Messana, G. B. Marini-Bettolo, J. A. Garbarino and V. Gambaro

Phenylpropanoid glucose esters from *Prunus buergeriana* 641 H. Shimomura, Y. Sashida and T. Adachi

Phenolic glucosides from *Parabenzoin praecox* 644 H. Shimomura, Y. Sashida, M. Oohara and H. Tenma

Anthaxanthone, a 1,3,7,8-tetraoxygenated xanthone from *Haploclathra leiantha* 646 T. J. NAGEM and J. C. DA SILVEIRA

A coumestone from the roots of *Tephrosia hamiltonii* 648 P. RAJANI and P. N. SARMA

Alkaloids and coumarins from roots of *Ruta chalepensis* 650 A. ULUBELEN and B. TEREM

Alkaloids of *Teclea nobilis* 651 A. YENESEW and E. DAGNE

(+)-3′,4′-Dihydrostephasubine, a bisbenzylisoquinoline alkaloid from *Stephania hernandifolia* 653 A. PATRA, T. K. MANDAL, P. K. MUKHOPADHYAY and B. C. RANU

(+)-Auroramine and (+)-maroumine, new seco-*bis*-benzylisoquinoline dimers from *Gyrocarpus americanus* 655 P. DUTÉ, M.-C. CHALANDRE, P. CABALION and J. BRUNETON

Alkaloids from *Strychnos staudtii* 657 P. THEPENIER, M.-J. JACQUIER, G. MASSIOT, L. LE MEN-OLIVIER and C. DELAUDE

Number 3

Announcement 661

Review Article Number 29
The metabolism of asparagine in plants 663 K. A. SIECIECHOWICZ, K. W. JOY and R. J. IRELAND

Growth and Metabolism
β-D-Glucopyranosyl phaseic acid from shoots of *Lycopersicon esculentum* 673 N. J. CARRINGTON, G. VAUGHAN and B. V. MILBORROW

Nigellic acid—an endogenous abscisic acid metabolite from *Vicia faba* leaves 677 H. LEHMANN and L. SCHWENEN

Arabinogalactan proteins from stigmas of *Nicotiana alata* 679 A. BACIC, A. C. GELL and A. E. CLARKE

Inhibition of nitrate and nitrite reductase induction in wheat by SANDOZ 9785 685 R. K. RAO, R. M. MANNAN, A. GNANAM and S. BOSE

β-Glucosidase with gibberellin A_4-2-*O*-glucoside hydrolysing activity from pods of runner beans 689 W. SCHLIEMANN

Allantoinases of nodulated *Arachis hypogaea* 693 N. V. RAO, R. S. REDDY and K. S. SASTRY

Purification and characterization of cysteine synthases from *Citrullus vulgaris* 697 F. IKEGAMI, M. KANEKO, H. KAMIYAMA and I. MURAKOSHI

The oxidative decarboxylation of ornithine by extracts of higher plants 703 T. A. SMITH and J. H. A. MARSHALL

Novel phenylalanine analogues as putative inhibitors of enzymes acting on phenylalanine 711 J. ZOŃ and B. LABER

Blackening in green pepper berries 715 P. S. VARIYAR, M. B. PENDHARKAR, A. BANERJEE and C. BANDYOPADHYAY

Post-harvest changes in *Mangifera indica* mesocarp cell walls and cytoplasmic polysaccharides 719 K. BRINSON, P. M. DEY, M. A. JOHN and J. B. PRIDHAM

Ecological Biochemistry
Dianthramides (*N*-benzoyl and *N*-*para*coumarylanthranilic acid derivatives) from elicited tissues of *Dianthus caryophyllus* 725 M. PONCHET, J. FAVRE-BONVIN, M. HAUTEVILLE and P. RICCI

An allelopathic fatty acid from the brown alga *Cladosiphon okamuranus* 731 H. KAKISAWA, F. ASARI, T. KUSUMI, T. TOMA, T. SAKURAI, T. OOHUSA, Y. HARA and M. CHIHARA

Ecdysteroids from *Leuzea carthamoides* 737 J.-P. Girault, R. Lafont, E. Varga, Zs. Hajdu, I. Herke and K. Szendrei

Phenolics in some southern African mediterranean shrubland plants 743 J. P. Glyphis and G. M. Puttick

Antifungal epicuticular methylated flavonoids from *Helichrysum nitens* 753 F. A. Tomás-Barberán, J. D. Msonthi and K. Hostettmann

Biosynthesis

The cyclization of 8′-hydroxy abscisic acid to phaseic acid *in vivo* 757 B. V. Milborrow, N. J. Carrington and G. T. Vaughan

7-Hydroxy-6,7-seco-kaurenes as inhibitors of gibberellin biosynthesis in *Gibberella fujikuroi* 761 M. K. Baynham, J. M. Dickinson and J. R. Hanson

Inhibition of trichothecene toxin biosynthesis by naturally occurring shikimate aromatics 767 A. E. Desjardins, R. D. Plattner and G. F. Spencer

Formation of liriodendritol in *Liriodendron tulipifera* 773 P. Dittrich and N. Schilling

Biosynthesis of the 3-ethylchromone phytoalexin lathodoratin in *Lathyrus odoratus* 775 N. A. Al-Douri and P. M. Dewick

Biosynthesis of 3-deoxyanthocyanins with flower extracts from *Sinningia cardinalis* 785 K. Stich and G. Forkmann

Cell Culture and Biotechnology

Whole-plant oils from two *Euphorbia* species growing in Sardinia 791 L. Conti, M. Marchetti, M. Usai and C. Botteghi

Accumulation of 2-phenylethanol by callus derived from leaf-bud of *Rosa damascena* 795 D. V. Banthorpe, S. A. Branch, I. Poots and W. D. Fordham

Biotransformation of phenylacetic acid and 2-phenylpropionic acid in suspension culture of *Coffea arabica* 803 T. Furuya, M. Ushiyama, Y. Asada, T. Yoshikawa and Y. Orihara

Glucosylation of phenolic compounds by plant cell cultures 809 M. Tabata, Y. Umetani, M. Ooya and S. Tanaka

Chemotaxonomy

Glucosinolates in the pollen of rapeseed and Indian mustard 815 S. G. Dungey, J. P. Sang, N. E. Rothnie, M. V. Palmer, D. G. Burke, R. B. Knox, E. G. Williams, E. P. Hilliard and P. A. Salisbury

Sterol composition of pteridophytes 819 P.-L. Chiu, G. W. Patterson and T. A. Salt

Phenylpropanoid patterns in Fagales pollen and their phylogenetic relevance 823 B. Meurer, R. Wiermann and D. Strack

cis- and *trans*-Dihydroquercetin glucosides from needles of *Pinus sylvestris* 829 L. N. Lundgren and O. Theander

Flavonoid variation in *Erythroxylum* 833 B. A. Bohm, T. Loo, K. W. Nicholls and T. Plowman

Plant Chemistry

Hydroxycinnamic acid–spermidine amides from pollen of *Alnus glutinosa*, *Betula verrucosa* and *Pterocarya fraxinifolia* 839 B. Meurer, V. Wray, R. Wiermann and D. Strack

Volatile constituents of *Valerianella locusta* 845 E.-M. Götz-Schmidt and P. Schreier

Further isocedrene derivatives and other constituents from *Perezia* species 849 C. Zdero, F. Bohlmann, J. Solomon and X. A. Dominguez

Sesquiterpene lactones and aliphatic ester from *Chamaemelum fuscatum*	855	J. DE PASCUAL TERESA, J. ANAYA, E. CABALLERO and M. C. CABALLERO
A germacrolide from *Gochnatia hypoleuca* and its transformation into a melampolide	861	E. MALDONADO, A. M. FLORES and A. ORTEGA
Eudesmanolides and other constituents from *Cratystylis conocephala*	865	C. ZDERO, F. BOHLMANN, L. HAEGI and R. M. KING
ent-Kauranes and oleananes from *Croton lacciferus*	869	B. M. R. BANDARA, W. R. WIMALASIRI and J. K. MACLEOD
Triterpenes in *Ganoderma lucidum*	873	M.-S. SHIAO, L.-J. LIN and S.-F. YEH
Wax esters and triterpene methyl ethers from the exocarp of *Elaeis guineensis*	877	S. H. GOH, F. L. LAI and P. T. GEE
Foetidissimoside A, a new 3,28-bidesmosidic triterpenoid saponin, and cucurbitacins from *Cucurbita foetidissima*	881	M.-A. DUBOIS, R. BAUER, M. R. CAGIOTTI and H. WAGNER
Polyprenols and hydroxylated lycopersenes from *Myriophyllum verticillatum*	887	R. LANZETTA, P. MONACO, L. PREVITERA and A. SIMALDONE
Further 5-methylcoumarin derivatives from *Mutisia orbignyana*	891	C. ZDERO, F. BOHLMANN and J. SOLOMON
Flaccidin, a 9,10-dihydrophenanthropyran derivative from the orchid *Coelogyne flaccida*	899	P. L. MAJUMDER and D. C. MAITI
Aristololactams of *Goniothalamus sesquipedalis* Wall. Revised structures of the 2-oxygenated aristololactams	903	S. K. TALAPATRA, D. BASU, P. CHATTOPADHYAY and B. TALAPATRA
Prenylated flavan-3-ols and procyanidins from *Illicium anisatum*	907	S. MORIMOTO, H. TANABE, G.-I. NONAKA and I. NISHIOKA
Three flavonol glycosides from *Epimedium koreanum*	911	Y. ITO, F. HIRAYAMA, K. SUTO, K. SAGARA and T. YOSHIDA
Mass spectrometry in the structural determination of flavonol triglycosides from *Vinca major*	915	A. SAKUSHIMA and S. NISHIBE
Homoisoflavanones from *Muscari neglectum*	921	G. BARONE, M. M. CORSARO, R. LANZETTA and M. PARRILLI
Three new steroidal alkaloids from the bark of *Holarrhena antidysenterica*	925	K. K. BHUTANI, M. ALI, S. R. SHARMA, R. M. VAID and D. K. GUPTA

Short Reports

Isolation of β-*N*-(γ-glutamyl)-4-formylphenylhydrazine (agaritinal) from *Agaricus campestris*	929	A. J. CHULIA, J. BERNILLON, J. FAVRE-BONVIN, M. KAOUADJI and N. ARPIN
Isolation of (*S*)-(+)-α-methylserine and γ-L-glutamyl-L-arginine from *Sphagnum palustre*	931	H. MATSUTANI, K. SETOGAWA, T. WAKAMIYA, Y. KOBAYASHI, Y. ODA and T. SHIBA
Polysaccharide from *Sarconema filiforme*, an Indian marine alga	933	R. G. PAREKH, Y. A. DOSHI, A. V. RAO and V. D. CHAUHAN
2-*C*-Methyl-D-erythritol in leaves of *Liriodendron tulipifera*	935	P. DITTRICH and S. J. ANGYAL
New monoterpene diols from essential oil of *Ferula jaeschkeana*	936	S. N. GARG and S. K. AGARWAL
Germacran-5,14,6,12-diolides from *Mikania urticifolia*	938	A. B. GUTIERREZ, J. C. OBERTI and W. HERZ
Terpenoids of *Pleurozia acinosa*	940	C.-L. WU and Y. ASAKAWA

5-Dehydrooriciopsin, a ring-D cleaved tetranortriterpenoid from *Harrisonia abyssinica* 942 A. M. Balde, M. Vanhaelen and D. Daloze

Ferprenin, a prenylated coumarin from *Ferula communis* 944 G. Appendino, S. Tagliapietra, G. M. Nano and V. Picci

A dihydroflavonol-*O*-glycoside of *Citrus sinensis* 946 P. Chatterjee and A. Chatterjee

Taxifolin 3-arabinoside from *Trachelospermum jasminoides* var. *pubescens* 948 A. Sakushima and S. Nishibe

A cytotoxic isoflavone from *Cudrania cochinchinensis* 951 N.-J. Sun, C.-J. Chang and J. M. Cassady

Minor alkaloids of *Glaucium flavum* 953 E. Daskalova, E. Iskrenova, H. G. Kiryakov and L. Evstatieva

7β-Hydroxy-*O*-methylsolanocapsine, a new 3-amino steroidal alkaloid from *Solanum capsicastrum* 956 A. K. Chakravarty and S. C. Pakrashi

Quinoline alkaloids from the leaves of *Teclea simplicifolia* 959 A. Wondimu, E. Dagne and P. G. Waterman

Pyrrolizidine alkaloids from *Heliotropium curassavicum* 960 J. G. Davicino, M. J. Pestchanker and O. S. Giordano

Book Reviews

Key to Carotenoids: edited by H. Pfander 963 J. B. Harborne

The Pharmacology of Benzopyrone Derivatives and Related Compounds: by M. Gabor 963 J. B. Harborne

Serpentine and its Vegetation: a Multidisciplinary Approach: by R. R. Brooks 964 J. Proctor

Naturally Occurring Quinones III: Recent Advances: by R. H. Thompson 965 J. B. Harborne

Insect–Plant Interactions: edited by J. R. and T. A. Miller 965 J. B. Harborne

Perspectives in Chemoreception and Behaviour: edited by R. F. Chapman, E. A. Bernays and J. G. Stoffolano 965 J. B. Harborne

Progress in Botany, Volume 48: edited by H. D. Behnke, K. Esser, K. Kubitzki, M. Runge and H. Ziegler 966 J. B. Harborne

Number 4

Announcement 967

Review Article Number 30

The antioxidants of higher plants 969 R. A. Larson

Growth and Metabolism

Purification and characterization of (*S*)-tetrahydroberberine oxidase from cultured *Coptis japonica* cells 979 N. Okada, A. Shinmyo, H. Okada and Y. Yamada

Kinetics of starch phosphorylase from young banana leaves 983 A. Kumar and G. G. Sanwal

Purification and properties of ornithine decarboxylase from germinated barley seeds 989 A. E. Koromilas and D. A. Kyriakidis

Isolation of amyloplasts from wheat endosperm 993 G. Entwistle, R. H. Tyson and T. ap Rees

Metabolism of propionate to 3-hydroxypropionate and acetate in the lima bean *Phaseolus limensis* 997 P. P. Halarnkar, E. J. Wakayama and G. J. Blomquist

PAL and ethylene content during maturation of Red and Golden Delicious apples 1001 S. M. Blankenship and C. R. Unrath

Carotenol esters in developing apple fruits 1005 M. Knee

Ecological Biochemistry

Diterpenoid feeding deterrents from the Pacific green alga *Pseudochlorodesmis furcellata* 1011 V. J. Paul, P. Ciminiello and W. Fenical

A dienyl stilbene phytoalexin from *Arachis hypogaea* 1015 C. J. Cooksey, P. J. Garratt, S. E. Richards and R. N. Strange

Cytotoxicity of plant flavonoids against HeLa cells 1017 A. Mori, C. Nishino, N. Enoki and S. Tawata

Alkaloid content in various chemoecotypes of *Glaucium flavum* from Israel 1021 B. Peled, Y. Waisel and S. Carmeli

Electrolyte leakage from plant and fungal tissues and disruption of liposome membranes by α-tomatine 1025 C. C. Steel and R. B. Drysdale

Biosynthesis

An oxygen-18 study of the biosynthesis of the diterpenoid, aphidicolin in *Cephalosporium aphidicola* 1031 M. J. Ackland, J. Gordon, J. R. Hanson, B. L. Yeoh and A. H. Ratcliffe

Flavan-3,4-diols in anthocyanin biosynthesis, enzymatic formation with flower extracts from *Callistephus chinensis* 1035 B. Ruhnau and G. Forkmann

Cell Culture and Biotechnology

Biotransformation of 3-oxo-*p*-menthane derivatives by cultured cells of *Nicotiana tabacum* 1041 T. Suga, T. Hirata, H. Hamada and S. Murakami

Chemotaxonomy

A lectin from the seeds of *Erythrina rubrinervia* 1045 C. Peña, F. Villarraga and G. Pérez

Acetylenic fatty acids in the Ricciaceae (Hepaticae) 1049 G. Kohn, O. Vandekerkhove, E. Hartmann and P. Beutelmann

Lipids of four species of freshwater Chrysophytes 1053 P. A. Cranwell, M. E. Creighton and G. H. M. Jaworski

GC-MS-SPECMA bank analysis of *Juniperus communis* needles and berries 1061 G. Vernin, C. Boniface, J. Metzger, C. Ghiglione, A. Hammoud, K.-N. Suon, D. Fraisse and C. Párkányi

Composition of *Elsholtzia polystachya* leaf essential oil 1065 A. Ahmad, M. S. Siddiqui and L. N. Misra

Inheritance of chemical constituents in algae: tetraprenyltoluquinols of *Cystoseira elegans* × *C. algeriensis* 1069 V. Amico, G. Giaccone, M. Piattelli and G. Ruberto

Photoactive furocoumarins in two populations of *Seseli elatum* 1073 L. R. Coassini Lokar and S. Delben

Prenylated flavonoids as evolutionary indicators in the genus *Dahlstedtia* 1079 F. R. Garcez, S. Scramin, M. C. do Nascimento and W. B. Mors

Alkaloids from leaves of *Pterotaberna inconspicua* and the Kisantu hybrid problem 1085 G. Massiot, B. Richard, L. le Men-Olivier, J. de Graeve and C. Delaude

Plant Chemistry

3-Nitro-1-propyl-β-D-gentiobioside from *Astragalus miser* var. *serotinus* 1089 W. Majak and M. H. Benn

New halometabolites from *Caldariomyces fumago*	1093	M. C. R. Franssen, M. A. Posthumus and H. C. van der Plas
Hydrolysis of plant cell walls with trifluoroacetic acid	1097	I. M. Morrison
Synthesis of rooperol [1,5-bis(3′,4′-dihydroxyphenyl)pent-1-en-4-yne]	1101	M. Potgieter, G. L. Wenteler and S. E. Drewes
Polyynes from *Calotis* species	1105	C. Zdero, F. Bohlmann, R. M. King and H. Robinson
Sesquiterpenelactones from *Blumea balsamifera*	1109	Y. Fujimoto, A. Soemartono and M. Sumatra
Lumiyomogin, ferreyrantholide, fruticolide and other sesquiterpene lactones from *Ferreyranthus fruticosus*	1113	J. Jakupovic, A. Schuster, F. Bohlmann and M. O. Dillon
Sesquiterpenoids from *Pilgerodendron uvifera*	1121	M. L. Oyarzún and J. A. Garbarino
Glaucolide-like sesquiterpene lactones from *Artemisia judaica*	1125	S. M. Khafagy, A. A. Seif El-Din, J. Jakupovic, C. Zdero and F. Bohlmann
Glaucolides and guaianolides from *Artemisia afra*	1129	J. Jakupovic, H. Klemeyer, F. Bohlmann and E. H. Graven
Highly oxygenated guaianolides from *Otanthus maritimus*	1135	J. Jakupovic, R. Boeker, M. Grenz, L. Paredes, F. Bohlmann and A. Seif El-Din
Teulamifin B, a neo-clerodane diterpenoid from *Teucrium lamiifolium* and *T. polium*	1141	P. Y. Malakov, I. M. Boneva, G. Y. Papanov and S. L. Spassov
18-Malonyloxy-9-*epi*-*ent*-isopimarol, a diterpene from *Calceolaria glandulosa*	1145	M. Piovano, V. Gambaro, M. C. Chamy, J. A. Garbarino, M. Nicoletti, J. Guilhem and C. Pascard
A diterpenoid with a new carbon skeleton from *Pygmaeopremna herbacea*	1151	Q. Meng, N. Zhu and W. Chen
Dolabellane diterpenoids from the liverwort *Odontoschisma denudatum*	1153	A. Matsuo, K. Kamio, K. Uohama, K. Yoshida, J. D. Connolly and G. A. Sim
Triterpenoids from the rhizome of *Alisma plantago-aquatica*	1161	G. Pei-wu, Y. Fukuyama, T. Yamada, W. Rei, B. Jinxian and K. Nakagawa
An acylated triterpenoid saponin from *Quillaja saponaria*	1165	R. Higuchi, Y. Tokimitsu and T. Komori
The 24α- and 24β-epimers of 24-ethylcholesta-5,22-dien-3β-ol in two *Clerodendrum* species	1169	T. Akihisa, Y. Matsubara, P. Ghosh, S. Thakur, N. Shimizu, T. Tamura and T. Matsumoto
Pregnane glycosides from an antitumour fraction of *Periploca sepium*	1173	H. Itokawa, J. Xu and K. Takeya
Furanocoumarin glucosides from the seeds of *Apium graveolens*	1181	V. K. Ahluwalia, D. R. Boyd, A. K. Jain, C. H. Khanduri and N. D. Sharma
Hydrolysable tannins and related compounds from *Castanea mollissima*	1185	H. Feng, G.-I. Nonaka and I. Nishioka
Di-*O*-acyl derivatives of shikimic acid from *Senecio nebrodensis*	1191	A. F. Barrero, J. F. Sánchez, E. J. Alvarez-Manzaneda R. and R. Alvarez-Manzaneda R.

Short Reports

1-Amino-2-propanol, a natural product from the Compositae 1195 L. S. R. Brown and D. O. Gray

Cyperenyl acetate and cyperenal from *Cirsium dipsacolepis* 1197 S. Takano and S. Kawaminami

Kanshones A and B, sesquiterpenoids of *Nardostachys chinensis* 1199 A. Bagchi, Y. Oshima and H. Hikino

Eudesmanolides from *Picris aculeata* 1201 M. Bruno and W. Herz

Guaianolides from *Saussurea candicans* 1203 P. Singh and M. Bhala

Sesquiterpene lactones from *Pulicaria sicula* 1206 C. Zdero, F. Bohlmann and A.-M. Rizk

Venustanol, a brominated labdane diterpene from the red alga *Laurencia venusta* 1209 M. Suzuki, E. Kurosawa and K. Kurata

Diterpenoids of *Conyza coulteri* 1211 S. D. Jolad, B. N. Timmermann, J. J. Hoffmann, R. B. Bates and F. A. Camou

A new clerodane derivative from *Tinospora cordifolia* 1212 R. K. Bhatt, J. B. Hanuman and B. K. Sabata

A soyasapogenol-B glucoside from the seeds of *Phaseolus vulgaris* 1216 D. C. Jain, R. S. Thakur, A. Bajpai and A. R. Sood

Limonoids from the seed of *Entandrophragma caudatum* 1218 S. M. Ansell and D. A. H. Taylor

Protolimonoids from *Turraea nilotica* 1220 D. A. Mulholland and D. A. H. Taylor

Tremetone derivatives from *Minuria leptophylla* 1222 J. Jakupovic, T. V. Chau-Thi, F. Bohlmann, R. M. King and L. Haegi

New benzofurans related to egonol from immature seeds of *Styrax obassia* 1224 M. Takanashi and Y. Takizawa

Styrenes from *Dorstenia barnimiana* 1227 Y. Woldu, B. Abegaz, B. Botta, G. Delle Monache and F. Delle Monache

Pelargonidin 3-(6″-succinyl glucoside)-5-glucoside from pink *Centaurea cyanus* flowers 1228 K. Takeda, C. Kumegawa, J. B. Harborne and R. Self

Kaempferol 3-α-D-glucopyranoside-7-α-L-rhamnopyranoside from *Erythroxylon cuneifolium* 1230 R. P. A. Iñigo, D. I. A. de Iglesias and C. A. N. Catalán

Number 5

Symposium Report

Amines in Plants 1233 T. A. Smith

Announcement 1234

Review Article Number 31

Synthesis of cell wall components: aspects of control 1235 G. P. Bolwell

Growth and Metabolism

Maize leaf and kernel starch synthases and starch branching enzymes 1255 P. L. Dang and C. D. Boyer

Three specific UDP-glucuronate: flavone-glucuronosyltransferases from primary leaves of *Secale cereale* 1261 M. Schulz and G. Weissenböck

Substrate stereospecificity of leaf glycerate kinase from C_3 and C_4 plants 1269 L. A. Kleczkowski and D. D. Randall

Purification and properties of endonuclease from wheat chloroplasts, specific for single-stranded DNA 1275 E. KULIGOWSKA, D. KLARKOWSKA and J. W. SZARKOWSKI

Heat-stable, calcium-inhibited cyclic nucleotide phosphodiesterase from *Neurospora crassa* 1281 N. M. SHAW and R. W. HARDING

5-Aminolevulinate dehydratase activity in thylakoid-related structures of etiochloroplasts from radish cotyledons 1289 F. NASRI, C. HUAULT and A. P. BALANGÉ

Purification and properties of proteinase inhibitors from *Erythrina corallodendron* seeds 1297 F. J. JOUBERT

Subunit structure and amino acid analyses of β-galactosidase purified from carrot cell cultures 1301 H. KONNO, K. KATOH and I. KUBOTA

Proteolytic activity in pure preparations of *Pinus pinea* isocitrate lyase 1303 C. GALASSI, E. GIACHETTI, G. PINZAUTI and P. VANNI

24-Epibrassinolide uptake in growing maize root segments evaluated by multiple-selected ion monitoring 1309 P. ALLEVI, M. ANASTASIA, R. CERANA, P. CIUFFREDA and P. LADO

Tannin antioxidants from *Osbeckia chinensis* 1315 J.-D. SU, T. OSAWA, S. KAWAKISHI and M. NAMIKI

Ecological Biochemistry

Spatane-type diterpenes with biological activity from the brown alga *Dilophus okamurai* 1321 K. KURATA, M. SUZUKI, K. SHIRAISHI and K. TANIGUCHI

Fungicidal and molluscicidal saponins from *Dolichos kilimandscharicus* 1325 A. MARSTON, F. GAFNER, S. F. DOSSAJI and K. HOSTETTMANN

Antimicrobial tetraprenyltoluquinol derivatives from *Cystoseira spinosa* var. *squarrosa* 1327 V. AMICO, F. CUNSOLO, P. NERI, M. PIATTELLI and G. RUBERTO

Three phenolic acid derivatives from stromata of *Epichloe typhina* on *Phleum pratense* 1333 H. KOSHINO, S.-I. TERADA, T. YOSHIHARA, S. SAKAMURA, T. SHIMANUKI, T. SATO and A. TAJIMI

Differences in phenolic and steroidal constituents between healthy and infected florets of *Mangifera indica* 1339 S. GHOSAL and D. K. CHAKRABARTI

Biosynthesis

Allylglucosinolate biosynthesis in *Brassica carinata* 1345 J. R. GLOVER, C. C. S. CHAPPLE, S. ROTHWELL, I. TOBER and B. E. ELLIS

Metabolism of limonoids in calamondin: conversion of calamin to cyclocalamin 1349 S. HASEGAWA, Z. HERMAN, P. OU and C. H. FONG

Anthocyanin composition of *Sinapis alba*, light induction of enzymes and biosynthesis 1351 K. TAKEDA, D. FISCHER and H. GRISEBACH

Synthesis of dimeric indole alkaloids by cell free extracts from cell suspension cultures of *Catharanthus roseus* 1355 M. MISAWA, T. ENDO, A. GOODBODY, J. VUKOVIC, C. CHAPPLE, L. CHOI and J. P. KUTNEY

Cell Culture and Biotechnology

Cell wall and extracellular galactoglucomannans from suspension-cultured *Rubus fruticosus* cells 1361 N. CARTIER, G. CHAMBAT and J.-P. JOSELEAU

Sesquiterpenoids related to the phytoalexin debneyol from elicited cell suspension cultures of *Nicotiana tabacum* 1365 I. M. WHITEHEAD, D. F. EWING and D. R. THRELFALL

Formation of alkaloids in suspension-cultured *Colchicum autumnale* 1371 T. HAYASHI, K. YOSHIDA and K. SANO

Colchicine precursors and the formation of alkaloids in suspension-cultured *Colchicum autumnale* 1375 K. YOSHIDA, T. HAYASHI and K. SANO

Production of bisbenzylisoquinoline alkaloids in cultured roots of *Stephania cepharantha* 1379 Y. SUGIMOTO, Y. SUGIMURA and Y. YAMADA

Chemotaxonomy

Botryococcene distribution in strains of the green alga *Botryococcus braunii* 1383 P. METZGER, E. CASADEVALL and A. COUTE

Lipids in marine diatoms of the genus *Thalassiosira*: predominance of 24-methylenecholesterol 1389 J. K. VOLKMAN and G. M. HALLEGRAEFF

Flavonoids and stilbenes from armand pine 1395 J.-M. FANG, W.-C. SU and Y.-S. CHENG

6-Hydroxyanthocyanidin glycosides in the flowers of *Alstroemeria* 1399 N. SAITO, M. YOKOI, M. OGAWA, M. KAMIJO and T. HONDA

Castanospermine in *Alexa* species 1403 R. J. NASH, L. E. FELLOWS, J. V. DRING, C. H. STIRTON, D. CARTER, M. P. HEGARTY and E. A. BELL

Plant Chemistry

Grimaldone, a tricyclic sesquiterpenoid from *Mannia fragrans*. Crystal structure analysis 1405 S. HUNECK, J. D. CONNOLLY, A. A. FREER and D. S. RYCROFT

Longipinene derivatives from *Stevia lucida* and *S. triflora* 1409 J. M. AMARO, M. ADRIÁN, C. M. CERDA and P. JOSEPH-NATHAN

Sesquiterpene lactones from *Squamopappus skutchii* 1413 D. VARGAS, L. E. URBATSCH and N. H. FISCHER

Sesquiterpene lactones of *Onopordon tauricum* 1417 M. MISKI, A. H. MERIÇLI and T. J. MABRY

Structural analysis of sesquiterpene lactones from *Hymenoclea salsola* 1421 F. BALZA and G. H. N. TOWERS

ent-Kaurene diterpene from the liverwort *Plagiochila pulcherrima* 1425 Y. FUKUYAMA, M. TOYOTA and Y. ASAKAWA

Glaucin B, a new bitter limonoid from *Evodia glauca* 1429 M. NAKATANI, H. TAKAO, T. IWASHITA, H. NAOKI and T. HASE

New triterpenoid saponins from *Corchorus acutangulus* 1433 S. B. MAHATO, B. C. PAL and S. K. SARKAR

Saponins from *Bolbostemma paniculatum*: cyclic bisdesmosides, tubeimosides II and III 1439 R. KASAI, M. MIYAKOSHI, R.-L. NIE, J. ZHOU, K. MATSUMOTO, T. MORITA, M. NISHI, K. MIYAHARA and O. TANAKA

Diacetylenic carotenoids from *Euglena viridis* 1447 A. FIKSDAHL and S. LIAAEN-JENSEN

Structural revision of pregnane ester glycosides from condurango cortex and new compounds 1451 S. BERGER, P. JUNIOR and L. KOPANSKI

Teucrioside, a phenylpropanoid glycoside from *Teucrium chamaedrys* 1459 G.-A. GROSS, M. F. LAHLOUB, C. ANKLIN, H.-R. SCHULTEN and O. STICHER

Two phenylpropanoid glycosides from *Scrophularia scopolii* 1465 I. CALIS, G.-A. GROSS and O. STICHER

Galloylsucroses from rhubarbs 1469 Y. KASHIWADA, G. NONAKA and I. NISHIOKA

Galloyl and hydroxycinnamoylglucoses from rhubarb 1473 Y. KASHIWADA, G. NONAKA, I. NISHIOKA and T. YAMAGISHI

Lignans of *Piper trichostachyon* 1479 S. K. KOUL, S. C. TANEJA, P. PUSHPANGADAN and K. L. DHAR

8,2′-Dihydroxyflavone from *Primula pulverulenta* 1483 E. WOLLENWEBER, K. MANN, M. IINUMA, T. TANAKA and M. MIZUNO

Six flavonol glycosides from leaves of *Strychnos variabilis*	1487	T. Brasseur and L. Angenot
3,5-Dihydroxy-7,8-dimethoxyflavones and revised structures for some natural flavones	1491	T. Horie, M. Tsukayama, Y. Kawamura and S. Yamamoto
Acylated flavonols from *Crocosmia crocosmiiflora*	1497	Y. Asada, Y. Hirayama and T. Furuya
Pumilaisoflavones A and B from the seed pods of *Tephrosia pumila*	1503	E. Dagne, B. Dinku, A. I. Gray and P. G. Waterman
Pyrrolizidine alkaloids from *Senecio gallicus* and *S. adonidifolius*	1507	J. G. Urones, P. B. Barcala, I. S. Marcos, R. F. Moro, M. L. Esteban and A. F. Rodriguez
Aristolactams and 4,5-dioxoaporphines from *Piper longum*	1511	S. J. Desai, B. R. Prabhu and N. B. Mulchandani
Sordariol and related compounds, hexaketides in the fungus *Sordaria macrospora*	1517	M. L. Bouillant, J. Favre-Bonvin, N. Salin and J. Bernillon

Short Reports

Identification of abscisic acid in the seaweed *Ascophyllum nodosum*	1521	G. L. Boyer and S. S. Dougherty
Partial synthesis of the fluorescent phorbol ester probe, sapintoxin D	1523	G. Brooks, N. A. Morrice, A. Aitken and F. J. Evans
New monoterpene γ-lactones with an unusual carbon skeleton from *Nepeta tuberosa*	1525	J. G. Urones, I. S. Marcos, P. B. Barcala and A. M. L. Bertelloni
A sesquiterpene-coumarin ether and an acetylenic compound from *Tanacetum heterotomum*	1527	N. Gören, A. Ulubelen and S. Öksüz
ent-Atisane-3β,16α,17-triol, a diterpene from *Euphorbia acaulis*	1530	N. K. Satti, O. P. Suri, R. K. Thaper and P. L. Kachroo
Norditerpenes and norditerpene glycosides from *Drymaria arenarioides*	1532	D. Vargas, X. A. Dominguez, K. Acuña-Askar, M. Gutierrez and K. Hostettmann
A new taxane derivative from the heartwood of *Taxus mairei*	1534	M.-K. Yeh, J.-S. Wang, L.-P. Liu and F.-C. Chen
Clerodane derivatives from *Grangea maderaspatana*	1537	P. Singh, S. Jain and J. Jakupovic
Terpenes and flavones of *Salvia cardiophylla*	1540	A. G. Gonzàlez, J. R. Herrera, J. G. Luis, A. G. Ravelo and E. A. Ferro
Revision of the structure of the limonoid pseudrelone B from *Pseudocedrela kotschyii*	1542	M. L. Niven and D. A. H. Taylor
Ichangensin: a new citrus limonoid	1543	R. D. Bennett, Z. Herman and S. Hasegawa
Coumarins from the leaves of *Phebalium squameum*	1546	F. Bevalot, J. A. Armstrong, A. I. Gray and P. G. Waterman
Co-occurrence of 3,3′,4′-tri-*O*-methylflavellagic acid and 3,3′-di-*O*-methylellagic acid in the bark of *Anogeissus schimperii*	1548	A. A. Nduji and S. K. Okwute
A norlignan, cryptoresinol, from the heartwood of *Cryptomeria japonica*	1550	K. Takahashi, M. Yasue and K. Ogiyama
Novel xanthones from *Garcinia mangostana*, structures of BR-xanthone-A and BR-xanthone-B	1552	K. Balasubramanian and K. Rajagopalan
C-Glycosylflavones of *Mucuna sempervirens*	1555	N. Ishikura and K. Yoshitama
Flavonoids and a coumarin from *Gutierrezia sphaerocephala*	1556	R. Li, N. Fang and T. J. Mabry

Flavonoids of *Iris spuria* 1559 A. S. Shawl, N. Mengi, M. K. Kaul and Vishwapaul

(+)-*N*-Formylharappamine and (+)-*N*-formylpapilicine, two new steroidal alkaloids from *Buxus papilosa* 1561 M. I. Choudhary, A.-ur-Rahman and M. Shamma

Cytotoxic aporphinoid alkaloids from *Thalictrum sessile* 1563 Y.-C. Wu, S.-T. Lu, J.-J. Chang and K.-H. Lee

Plant growth inhibiting properties of phalaenopsine T from *Pharaenopsis* spp 1564 K. Fujieda, Y. Shoyama, H. Matsunaka and I. Nishioka

Distribution of piperine in vegetative parts of *Piper nigrum* 1566 U. Semler and G. G. Gross

Book Reviews

Inorganic Nitrogen Metabolism: edited by W. R. Ullrich, P. J. Aparicio, P. J. Syrett and F. Castillo 1569 C. B. Johnson

Plant Pathogenic Bacteria: edited by E. L. Civerolo, A. Collmer, R. E. Davis and A. G. Gillaspie 1569 J. B. Harborne

Short Book Reviews 1570 J. B. Harborne

Number 6

Review Article Number 32

Ornithine biosynthesis, and arginine biosynthesis and degradation in plant cells 1571 P. D. Shargool, J. C. Jain and G. McKay

Growth and Metabolism

Plant growth substances in root cultures of *Lycopersicon esculentum* 1575 D. N. Butcher, N. E. J. Appleford, P. Hedden and J. R. Lenton

Improved procedure to determine indole-3-acetic acid by fluorescence derivative 1579 C. Sánchez-Roldán, M. A. Quesada, M. J. Bukovac, V. Valpuesta and A. Heredia

Dihydrozeatin riboside from *Phaseolus* sap: quantification by radioimmunoassay and GC-MS 1583 P. Griggs, T. Stuchbury and T. L. Wang

Effects of some reductants on the activity of cherimoya polyphenol oxidase 1589 M. Martinez-Cayuela, M. J. Faus and A. Gil

Affinity and hydrophobic chromatography of mushroom tyrosinase 1593 J. Ingebrigtsen and W. H. Flurkey

Glyoxysomal acyl-CoA synthetase and oxidase from germinating elm, rape and maize seed 1601 J. A. Olsen and A. H. C. Huang

Activity of sucrose-phosphate synthase in sugar cane leaves 1605 J. Köhler, E. Komor, M. Thom and A. Maretzki

Ornithine decarboxylase from embryos of jute seeds 1609 M. Pandit and B. Ghosh

Oxidation of amino acids by manganous ions and pyridoxal phosphate 1611 T. A. Smith and J. H. A. Marshall

Activity of branching enzyme as a cardinal feature of the Ra locus in *Pisum sativum* 1615 J. Edwards, J. H. Green and T. ap Rees

Sucrose and hexose metabolism by clubs of *Typhonium giraldii* and roots of *Pisum sativum* 1621 J. A. Hargreaves and T. ap Rees

Turnover of starch and sucrose in roots of *Pisum sativum* 1627 J. A. Hargreaves and T. ap Rees

Plasma membrane biogenesis in higher plants: *in vivo* transfer of lipids to the plasma membrane 1631 P. Moreau, H. Juguelin, R. Lessire and C. Cassagne

Changes of lipid composition in maturing barley kernels 1639 W. De Man and N. Cauberghe

Enzymatic formation of unsaturated long chain fatty aldehydes in *Ulva pertusa* 1643 T. Kajiwara, H. Yoshikawa, T. Saruwatari, A. Hatanaka, T. Kawai, M. Ishihara and T. Tsuneya

Investigation of lignification by means of fluorinated analogues of ferulic acid and coniferyl alcohol 1647 R. Goldberg, A. Pang, M. Pierron, A.-M. Catesson, Y. Czaninski, C. Francesch and C. Rolando

Ecological Biochemistry

6-Epiophiobolin A and 3-anhydro-6-epiophiobolin A—host specific phytotoxins of *Drechslera maydis* (race T) 1653 M. W. Canales and G. R. Gray

Three ecdysteroid glycosides from *Pfaffia iresinoides* 1665 N. Nishimoto, Y. Shiobara, S. Inoue, M. Fujino, T. Takemoto, C. L. Yeoh, F. de Oliveira, G. Akisue, M. K. Akisue and G. Hashimoto

Comparative evaluation of photodynamic efficiency of some natural quinonoid fungal toxins 1669 A. Arnone, G. Assante, T. Caronna, V. Di Modugno and G. Nasini

Perylenequinones from cucumber seedlings infected with *Cladosporium cucumerinum* 1675 A. Arnone, G. Assante, V. Di Modugno, L. Merlini and G. Nasini

Biosynthesis

Lipid composition and biosynthesis in the marine dinoflagellate *Crypthecodinium cohnii* 1679 R. J. Henderson, J. W. Leftley and J. R. Sargent

Biosynthetic precursors for α- and β-cembrenediol formation in tobacco 1685 L. Crombie, D. McNamara, D. F. Firth, S. Smith and P. C. Bevan

Cembrenediols in the curing of tobacco. X-ray crystal structures of β-cembrenediol and α-cembreneketol 1695 M. J. Begley, L. Crombie, D. McNamara, D. F. Firth, S. Smith and P. C. Bevan

Isolation of 25(27)-dehydrolanost-8-enol from *Cereus giganteus* and its biosynthetic implications 1705 W. D. Nes and J. O. Schmidt

Cell Culture and Biotechnology

Metabolism of chlortoluron in cell suspensions of *Lactuca sativa*: a qualitative change with age of culture 1709 D. J. Cole and W. J. Owen

Extraction of 3′,4′-anhydrovinblastine from *Catharanthus roseus* 1713 A. E. Goodbody, C. D. Watson, C. C. S. Chapple, J. Vukovic and M. Misawa

Chemotaxonomy

Amino acid sequences of two atypical single-chain Viceae isolectins from seeds of *Lathyrus nissolia* 1719 A. Yarwood, M. Richardson, B. Morphet, M. Westby, D. Père and P. Rougé

Lipid composition of the marine dinoflagellate *Scrippsiella trochoidea* 1723 H. R. Harvey, S. A. Bradshaw, S. C. M. O'Hara, G. Eglinton and E. D. S. Corner

Composition of xylem resin from five Mexican and central American *Pinus* species growing in Zimbabwe 1731 J. J. W. Coppen, J. M. Robinson and L. J. Mullin

Saturated and unsaturated sterols of nitrogen-fixing blue-green algae (cyanobacteria) 1735 M. Kohlhase and P. Pohl

Limonoid extractives from the genera *Capuronianthus, Neobeguea* and *Quivisianthe* 1741 D. A. Mulholland and D. A. H. Taylor

Unique biflavonoid types from the moss *Dicranoloma robustum* 1745 K. R. Markham, Ø. M. Andersen and E. S. Viotto

Plant Chemistry

All-*cis*-3,6,9,12,15-octadecapentaenoic acid: a problem of resolution in the GC analysis of marine fatty acids — 1751 G. E. Napolitano, W. M. N. Ratnayake and R. G. Ackman

A secoiridoid glucoside from *Olea europaea* — 1757 H. Kuwajima, T. Uemura, K. Takaishi, K. Inoue and H. Inouye

Chamigrane metabolites from *Laurencia obtusa* and *L. scoparia* — 1761 D. J. Kennedy, I. A. Selby and R. H. Thomson

Further sesterterpenes from *Salvia hypoleuca* — 1767 A. Rustaiyan and S. Koussari

Guaianolides and other constituents from *Liabum floribundum* — 1771 J. Jakupovic, A. Schuster, F. Bohlmann and M. O. Dillon

Quinone methide diterpenoids from the roots of *Salvia texana* — 1777 A. G. González, Z. E. Aguiar, J. G. Luis, A. G. Ravelo and X. Domínguez

Diterpenoids of *Nepeta tuberosa* subsp. *reticulata* — 1783 J. G. Urones, P. B. Barcala, I. S. Marcos, J. F. Ferreras and A. F. Rodriguez

Labdane type diterpenoids from the liverwort *Frullania hamachiloba* — 1789 M. Toyota, F. Nagashima and Y. Asakawa

Labdane diterpenoids from *Nolana filifolia* — 1795 J. A. Garbarino, M. C. Chamy, M. Piovano and V. Gambaro

Verrucosane diterpene from the liverwort *Plagiochila stephensoniana* — 1797 Y. Fukuyama, T. Masuya, M. Tori, M. Kido, M. Wakamatsu and Y. Asakawa

Terpenoids from the stem bark of *Azadirachta indica* — 1801 I. Ara, B. S. Siddiqui, S. Faizi and S. Siddiqui

New protolimonoids from the fruits of *Phellodendron chinense* — 1805 A. I. Gray, P. Bhandari and P. G. Waterman

A novel polyhydroxy pregnane ester from *Orthenthera viminea* — 1809 K. J. Kaur, M. P. Khare and A. Khare

Aryl β-D-glucosides from *Carica papaya* fruit — 1813 W. Schwab and P. Schreier

Arylbenzofurans from *Indigofera microcarpa* — 1817 M. A. de M. e. Souza, L. W. Bieber, A. A. Chiappeta, G. M. Maciel, J. F. de Mello, F. Delle Monache and I. Messana

5-Methylcoumarin derivatives from *Aphyllocladus denticulatus* — 1821 C. Zdero, F. Bohlmann and H. M. Niemeyer

4-Arylcoumarin glycosides from *Coutarea hexandra* — 1827 R. Aquino, M. D'Agostino, F. de Simone and C. Pizza

Three prenylflavanones from *Euchresta japonica* — 1831 M. Mizuno, K. Tamura, T. Tanaka and M. Iinuma

Flavonoid and other constituents of *Bauhinia manca* — 1835 H. Achenbach, M. Stöcker and M. A. Constenla

Alkaloids of *Stemmadenia grandiflora* — 1843 R. Torrenegra, J. A. Pedrozo P., H. Achenbach and P. Bauereiß

Short Reports

Isocraugsodine, an *N*-arylidenephenethylamine from *Crinum asiaticum* and its *E*–*Z* isomerism — 1849 S. Ghosal, A. Shanthy and S. K. Singh

A cyanogenic glucoside from *Ilex aquifolium* — 1852 M. Willems

Sebdenia polydactyla—a novel source of carrageenan	1854	Y. A. Doshi, R. G. Parekh and V. D. Chauhan
7-*O*-Acetyl loganic acid from *Alangium platanifolium* var. *trilobum*	1856	K. Nakamoto, H. Otsuka and K. Yamasaki
Essential oil of *Conyza canadensis*	1858	B. F. Hrutfiord, W. H. Hatheway and D. B. Smith
Arguticinin, a sesquiterpene from *Pluchea arguta*	1861	V. U. Ahmad and K. Fizza
Cadinene derivatives from *Smallanthus uvedalia*	1863	X. A. Dominguez, S. Hafez, H. Sánchez V. and J. Slim
Hypnocretenolide derivatives from *Hedypnois cretica*	1866	F. M. Harraz, F. F. Kassem, M. Grenz, J. Jakupovic and F. Bohlmann
Clibadiolide, a sesquiterpene lactone esterified with a homo-diterpene from *Clibadium pittierii*	1868	G. Tamayo-Castillo, J. Jakupovic, F. Bohlmann and V. Castro
Guaianolides and other constituents of *Achillea ligustica*	1871	M. Bruno and W. Herz
Sesquiterpene lactones and flavones from *Centaurea cineraria* subsp. *umbrosa*	1873	M. Bruno and W. Herz
Terpenes from the red alga *Sphaerococcus coronopifolius* of the north Adriatic Sea	1875	S. De Rosa, S. De Stefano, P. Scarpelli and N. Zavodnik
The absolute configuration of grindelic acid	1878	M. Adinolfi, M. D. Greca and L. Mangoni
A furanoid diterpene, 10α-hydroxycolumbin, from *Tinospora malabarica*	1882	A.-ur-Rahman and S. Ahmad
A diterpene and flavonoids of *Baccharis flabellata*	1884	J. R. Saad, J. G. Davicino and O. S. Giordano
Triterpenes from *Cigarrilla mexicana*	1887	R. Mata, L. Rios, Mª del Rayo Camacho, Mª T. Reguero and D. Lorence
Lupene derivatives from *Skimmia laureola*	1890	T. K. Razdan, S. Harkar, B. Qadri, M. A. Qurishi and M. A. Khuroo
Saxosterol, a new dihydroxy cholesterol from *Narthecium ossi-fragum*	1893	A. Stabursvik and B. Holen
An acylated sitosterol glucoside from *Alisma plantago-aquatica*	1895	G. Pei-wu, Y. Fukuyama, W. Rei, B. Jinxian and K. Nakagawa
Furostanol glycosides from *Lilium cordatum*	1897	K. Nakano, K. Nishizawa, I. Takemoto, K. Murakami, Y. Takaishi and T. Tomimatsu
Agrostophyllin, a naturally occurring phenanthropyran derivative from *Agrostophyllum khasiyanum*	1899	P. L. Majumder and E. Sabzabadi
Chromenes from *Ageratina arsenii* and revised structures of two epimeric chromene dimers	1902	N. Fang, S. Yu and T. J. Mabry
A lignan from *Lindera praecox*	1906	K. Ichino, H. Tanaka and K. Ito
Moluccanin, a coumarinolignoid from *Aleurites moluccana*	1908	T. Shamsuddin, W. Rahman, S. A. Khan, K. M. Shamsuddin and J. P. Kintzinger
A xanthone glycoside from *Swertia speciosa*	1910	K. S. Khetwal and R. S. Bisht

Two xanthones from *Ixanthus viscosus*	1912	E. P. Ortega, R. E. López-García, R. M. Rabanal, V. Darias and S. Valverde
A new acylated kaempferol derivative from *Lilium candidum* L.	1914	A. Bučková, E. Eisenreichová, M. Haladová, D. Uhrín and J. Tomko
A cyclopeptide alkaloid from the bark of *Zizyphus rugosa*	1915	V. B. Pandey, Y. C. Tripathi, S. Devi, J. P. Singh and A. H. Shah
A *seco*-phthalideisoquinoline alkaloid from *Fumaria indica* seeds	1918	Y. C. Tripathi, V. B. Pandey, N. K. R. Pathak and M. Biswas
(−)-Caseamine from *Ceratocapnos heterocarpa*: structure and total synthesis	1920	R. Suau, M. Valpuesta, M. V. Silva and A. Pedrosa
10-Hydroxy-N_b-methyl-corynantheol, a new quaternary alkaloid from the stem bark of *Strychnos usambarensis*	1923	J. Quetin-Leclercq and L. Angenot
Studies on the alkaloids of *Rhazya stricta*	1926	A.-ur-Rahman and K. Zaman
Book Reviews		
Twelfth International Seaweed Symposium: edited by M. A. Ragan and C. Bird	1929	E. Percival
Integration and Control of Metabolic Processes: Pure and Applied Aspects: edited by O. L. Kon	1930	J. B. Harborne
Developmental Mutants in Higher Plants: edited by H. Thomas and D. Grierson	1930	J. B. Harborne
Erratum	1931	
Corrigenda	1931	

Number 7

Review Article Number 33		
Natural bicoumarins	1933	S. C. Basa
Growth and Metabolism		
Photosynthetic inhibitors in *Eucalyptus grandis*	1943	S. Yoshida, T. Asami, T. Kawano, K. Yoneyama, W. D. Crow, D. M. Paton and N. Takahashi
Spectroscopic and redox properties of plant mitochondrial cytochromes *c*	1947	C. J. A. Wallace and D. Boulter
Single step purification of a lectin from winged bean tubers	1951	M. S. Shet and M. Madaiah
Carbon monoxide sensitivity of cytochrome *c* oxidase in male sterile seedlings of pearl millet	1955	S. V. Munjal, B. B. Desai, S. D. Ugale, S. Y. Daftardar, D. R. Bapat and M. S. Naik
Chemical modification studies on isoenzymes of superoxide dismutase from bajra seedlings	1959	S. V. K. Reddy and B. Venkaiah
Effect of L-proline on mushroom tyrosinase	1961	F. Garcia-Carmona, E. Valero and J. Cabanes
Immunological comparison of spinach and *Chlorella* nitrate reductase	1965	B. A. Notton, M. J. Barber, R. J. Fido, P. N. Whitford and L. P. Solomonson
Arginine residue(s) at the active site(s) of the nitrate reductase complex from *Amaranthus*	1969	M. Baijal and P. V. Sane

Endo-β-glucosidase from *Aspergillus niger* grown on a monoterpene glycoside-containing medium	1973	O. Shoseyov, B. Bravdo, R. Ikan and I. Chet
Fructose 1,6-bisphosphatase in seeds of *Corylus avellana*	1977	L. Li and J. D. Ross
The effect of bivalent metal ions on ATPase–ADPase activities of apyrase from *Solanum tuberosum*	1981	M. A. Valenzuela, A. M. Kettlun, M. Mancilla, V. Calvo, N. Fanta and A. Traverso-Cori
Parthenain, a protease from *Parthenium argentatum*	1987	K. R. Lynn
Acid invertase from *Tropaeolum* leaves	1993	M. I. Isla, M. A. Vattuone, M. I. Gutierrez and A. R. Sampietro
Ribulose 1,5-bisphosphate carboxylase/oxygenase from citrus leaves	1999	L. Peñarrubia and J. Moreno
Polyprenyl diphosphate synthase from mulberry leaves: stereochemistry of hydrogen elimination in the prenyltransferase reaction	2005	T. Koyama, Y. Kokubun and K. Ogura
Purification and properties of β-cyano-L-alanine synthase from *Spinacia oleracea*	2011	F. Ikegami, K. Takayama, C. Tajima and I. Murakoshi
Characteristics of two glutamine synthetase isozymes in soybean	2017	S.-M. Kang and T. Hymowitz
^{13}C NMR study of heterogeneity in the carrageenan system from *Rissoella verruculosa*	2023	J. Mollion, H. Morvan, F. Bellanger and S. Moreau
Lipid metabolism during germination of tobacco pollen	2027	A.-J. Dorne, R. Kappler, U. Kristen and E. Heinz
Improved extraction of lipids from strawberry	2033	R. Couture, C. Willemot, C. Avezard, F. Castaigne and A. Gosselin
Lipid composition of barley in relation to grain size	2037	W. De Man and B. Vervenne
Changes in lipid classes and fatty acid composition in developing *Psophocarpus tetragonolobus seeds*	2041	H.-T. Khor and S.-L. Chan
Lipids and hydroxycinnamic acids in cell walls of *Eriophorum vaginatum*	2045	P. Karunen and E. Kälviäinen
Sterol and phospholipid changes during alfalfa seed germination	2049	L.-S. Huang and C. Grunwald
Reactions of 4-methyl-*o*-benzoquinone, generated chemically or enzymatically, in the presence of L-proline	2055	E. Valero, J. Escribano and F. Garcia-Carmona
Ecological Biochemistry		
Mitogenic and antineoplastic isoagglutinins from the red alga *Solieria robusta*	2063	K. Hori, S. Ikegami, K. Miyazawa and K. Ito
Free amino acids in the phloem sap from oats and barley resistant to *Rhopalosiphum padi*	2069	J. H. W. Weibull
Headspace volatiles of whole plants and macerated plant parts of *Brassica* and *Sinapis*	2073	L. Tollsten and G. Bergström
Epoxy alantolides: isoinunal—a new potent plant growth regulator from *Inula racemosa*	2079	P. S. Kalsi, R. Goyal, K. K. Talwar and B. R. Chhabra
Coriandrin, a novel highly photoactive compound isolated from *Coriandrum sativum*	2083	O. Ceska, S. K. Chaudhary, P. Warrington, M. J. Ashwood-Smith, G. W. Bushnell and G. A. Poulton
Biosynthesis		
Phosphatidylcholine and its relationship to triacylglycerol biosynthesis in oil-tissues	2089	G. Griffiths, S. Stymne and A. K. Stobart

Oleic acid in the biosynthesis of the resistant biopolymers of *Botryococcus braunii* 2095 J. Laureillard, C. Largeau and E. Casadevall

Biosynthesis of abscisic acid in *Cercospora pini-densiflorae* 2099 M. Okamoto, N. Hirai and K. Koshimizu

Biosynthetic relationships of patchouli alcohol, seychellene and cycloseychellene in *Pogostemon cablin* 2105 A. Akhila, P. K. Sharma and R. S. Thakur

Inhibition of mRNA levels and activities by *trans*-cinnamic acid in elicitor-induced bean cells 2109 G. P. Bolwell, M. Mavandad, D. J. Millar, K. J. Edwards W. Schuch and R. A. Dixon

Exclusive accumulation of *Z*-isomers of monolignols and their glucosides in bark of *Fagus grandifolia* 2119 N. G. Lewis, Ma. E. J. Inciong, H. Ohashi, G. H. N. Towers and E. Yamamoto

Cell Culture and Biotechnology

Production of flavour precursors [*S*-alk(en)yl-L-cysteine sulphoxides] in photomixotrophic callus of garlic 2123 J. E. Lancaster, E. M. Dommisse and M. L. Shaw

Hydroxygrindelane derivatives by microbial transformation 2125 J. J. Hoffmann, S. D. Jolad, R. B. Bates and F. A. Camou

Biotransformation of digitoxigenin by cell suspension cultures of *Strophanthus gratus* 2129 T. Furuya, K. Kawaguchi and M. Hirotani

Some hitherto uncharacterized latex polyisoprenes 2135 C. A. Nwadinigwe

Alkaloids of cell cultures derived from strains of *Papaver bracteatum* 2137 I. Hook, H. Sheridan and G. Wilson

Alkaloids of tissue cultures of *Nandina domestica* 2143 A. Ikuta and H. Itokawa

Enzymes from *Catharanthus roseus* cell suspension cultures that couple vindoline and catharanthine to form 3′,4′-anhydrovinblastine 2147 T. Endo, A. Goodbody, J. Vukovic and M. Misawa

Chemotaxonomy

Comparison of sporopollenin-like algal resistant polymer from cell wall of *Botryococcus*, *scenedesmus* and *Lycopodium clavatum* by GC-pyrolysis 2151 J. Burczyk and J. Dworzański

Sesquiterpenoids from the liverwort *Bazzania fauriana* 2155 M. Toyota and Y. Asakawa

Gymnomitrane-type sesquiterpenoids from the liverwort *Plagiochila trabeculata* 2161 M. Toyota, F. Nagashima and Y. Asakawa

Highly oxygenated sesquiterpenes from the substribe Nassauviinae 2165 C. Zdero, F. Bohlmann and H. M. Niemeyer

Minor diterpenoids from *Portulaca* cv jewel 2171 A. Ohsaki, N. Ohno, K. Shibata, T. Tokoroyama, T. Kubota, K. Hirotsu and T. Higuchi

Betulin and lupeol in bark from four white-barked birches 2175 M. M. O'Connell, M. D. Bentley, C. S. Campbell and B. J. W. Cole

Glucosides and glucose esters of hydroxybenzoic acids in plants 2177 S. Klick and K. Herrmann

Alkaloids of *Erythroxylum cuneatum*, *E. ecarinatum* and *E. australe* 2181 Y. M. A. El-Imam, W. C. Evans and R. J. Grout

Plant Chemistry

Volatile aroma constituents of orange 2185 A. J. MacLeod, G. MacLeod and G. Subramanian

Volatile aroma constituents of mango (cv Kensington) 2189 A. J. MacLeod, G. MacLeod and C. H. Snyder

Sesquiterpenes from *Rudbeckia grandiflora*	2195	M. Vasquez, F. A. Macias, L. E. Urbatsch and N. H. Fischer
Sesquiterpenoid glycosides and an acetogenin glucoside from *Lessingia glandulifera*	2199	S. D. Jolad, B. N. Timmermann, J. J. Hoffmann, R. B. Bates, F. A. Camou and T. J. Siahaan
Sesquiterpene glycosides based on the alloaromadendrane skeleton from *Calendula arvensis*	2205	C. Pizza and N. De Tommasi
Trifolioside II, an acyclic sesquiterpene oligoglycoside from pericarps of *Sapindus trifoliatus*	2209	R. Kasai, M. Nishi, K. Mizutani, I. Miyahara, T. Moriya, K. Miyahara and O. Tanaka
Polyhydroxyagarofuran derivatives from *Rzedowskia tolantonguensis*	2213	M. Jiménez, E. García, L. Gardida and A. Lira-Rocha
Further glaucolides and other sesquiterpene lactones from *Brocchia cinerea*	2219	J. Jakupovic, M. A. Aal, F. Eid, F. Bohlmann, S. El-Dahmy and T. Sarg
Guaianolides and other constituents of *Helianthus microcephalus*	2225	A. B. Gutierrez and W. Herz
Sesquiterpene lactones from *Artemisia lanata*	2229	J. Mª Aguilar, I. G. Collado, F. A. Macías, G. M. Massanet, F. Rodríguez-Luis, F. R. Fronczek and S. F. Watkins
Guaianolides and homoditerpenes from *Heliopsis helianthoides*	2235	J. Jakupovic, A. Schuster, T. V. Chau-Thi, F. Bohlmann and X. A. Dominguez
Terpenoids from leaves of *Juniperus thurifera*	2241	A. San Feliciano, M. Medarde, J. L. Lopez, J. M. Miguel del Corral, P. Puebla and A. F. Barrero
Structure of sirutekkone, a diterpenoid from *Premna herbacea*	2249	G. Sandhya, K. Rajagopalan and N. Chandrakumar
Nerylgeraniol derivatives and two clerodanes from *Vittadinia gracilis*	2251	C. Zdero, F. Bohlmann, R. M. King and L. Haegi
A labdane diterpene and its glycoside from *Melodinus monogynus*	2255	A. Sethi, A. Khare and M. P. Khare
Longirabdosin, a diterpene from *Rabdosia longituba*	2261	T. Ichihara, Y. Takeda and H. Otsuka
Lignans and diterpenes of three *Aristolochia* species	2265	L. M. X. Lopes and V. da S. Bolzani
Triterpenes from *Ganoderma lucidum*	2269	L.-J. Lin, M.-S. Shiao and S.-F. Yeh
Triterpene dienols and other constituents from the bark of *Phyllanthus flexuosus*	2273	R. Tanaka and S. Matsunaga
Cycloeuphordenol, a new triterpene from *Euphorbia tirucalli*	2279	A. Q. Khan, T. Rasheed, S. N. Kazmi, Z. Ahmed and A. Malik
Tirucallane and oleanane triterpenes from the resin of *Aucoumea klaineana*	2283	L. Guang-Yi, A. I. Gray and P. G. Waterman
A pentacyclic triterpene diacid from *Myrianthus arboreus*	2287	F. N. Ngounou, D. Lontsi and B. L. Sondengam
Triterpenoid saponins and flavonol glycosides from *Phytolacca thyrsiflora*	2291	M. Haraguchi, M. Motidome and O. R. Gottlieb

A pregnane ester tetraglycoside from *Oxystelma esculentum* 2297 R. Trivedi, A. Khare and M. P. Khare

Dammarane derivatives in the fruit lipids of *Olea madagascariensis* 2301 J.-P. Bianchini, E. M. Gaydou, G. Rafaralahitsimba, B. Waegell and J.-P. Zahra

Nemorosonol, a derivative of tricyclo-[4.3.1.$0^{3,7}$]-decane-7-hydroxy-2,9-dione from *Clusia nemorosa* 2305 F. Delle Monache, G. Delle Monache, R. M. Pinheiro and L. Radics

Metabolites from *Chlorophora excelsa*: possible intermediates in the biogenesis of a pentasubstituted stilbene 2309 E. Malan, E. Swinny, D. Ferreira and A. J. Hall

Isolation and structures of ellagic acid derivatives from *Euphorbia acaulis* 2313 R. S. Bindra, N. K. Satti and O. P. Suri

Galloyl glucose derivatives from *Heuchera cylindrica* 2317 C. Wilkins

Bicyclooctanoid, carinatone and megaphone type neolignans from *Ocotea porosa* 2319 M. G. De Carvalho, M. Yoshida, O. R. Gottlieb and H. E. Gottlieb

A new cyclo hexadione from *Mesua ferrea* 2325 T. J. Dennis, K. A. Kumar and G. Srimannarayana

α-Hydroxydihydrochalcones and related 1,3-diarylpropan-2-ones from *Xanthocercis zambesiaca* 2329 S. C. Bezuidenhout, B. C. B. Bezuidenhoudt and D. Ferreira

Hydrochloric acid and aryl-sulphatase are reagents for UV-spectral detection of 3- and 4′-sulphated flavonoids 2335 D. Barron and R. K. Ibrahim

Alkamides from the roots of *Echinacea purpurea* 2339 R. Bauer, P. Remiger and H. Wagner

Short Reports

Trixane derivatives from *Trixis praestans* 2343 E. C. de Riscala, C. A. N. Catalan, V. E. Sosa, A. B. Gutiérrez and W. Herz

A sesquiterpene lactone, sintenin, from *Achillea sintenisii* 2346 N. Gören, S. Öksüz and A. Ulubelen

Acyclic diterpenes from *Bifurcaria bifurcata* 2347 L. Semmak, A. Zerzouf, R. Valls, B. Banaigs, G. Jeanty and C. Francisco

Isolation and structure of an A-ring contracted triterpenoid from *Colubrina texensis* tissue culture 2350 R. L. Baxter and M. D. Walkinshaw

A new limonoid from *Turraea robusta* 2353 M. S. Rajab, M. D. Bentley, A. Hassanali and A. Chapya

Prephytoene alcohol from *Myriophyllum verticillatum* 2355 P. Monaco, M. Della Greca, M. Onorato and L. Previtera

Coumarins from the leaves of *Murraya paniculata* 2357 T.-S. Wu

Chalcone derivatives from *Polygonum lapathifolium* 2359 M. Ahmed, M. Khaleduzzaman and M. A. Rashid

Neocorymboside, a di-*C*-glycosylflavone from *Atractylis gummifera* 2360 A. Chaboud, G. Dellamonica and J. Raynaud

Ombuin 3-sulphate from *Flaveria chloraefolia* 2362 D. Barron and R. K. Ibrahim

Two isoflavone galactosides from *Dalbergia spinosa* 2364 V. Narayanan and N. S. Nagarajan

Piperine from an *Ulocladium* sp. 2366 J. S. Dahiya, D. L. Woods and J. P. Tewari

Semperviramidine—a new steroidal alkaloid from *Buxus sempervirens* 2367 A.-UR-RAHMAN, D. AHMED, M. I. CHOUDHARY, B. SENER and S. TURKOZ

New alkaloids from *Haplophyllum glabrium* 2369 ZS. RÓZSA, M. RÁBIK, K. SZENDREI, M. AYNECHI and I. PELCZER

Number 8

Tony Swain 1922–1987 2373 J. B. HARBORNE

Review Articles
Number 34
Sulphated flavonoids—an update 2375 D. BARRON, L. VARIN, R. K. IBRAHIM, J. B. HARBORNE and C. A. WILLIAMS

Number 35
Polyphenol complexation—some thoughts and observations 2397 C. M. SPENCER, Y. CAI, R. MARTIN, S. H. GAFFNEY, P. N. GOULDING, D. MAGNOLATO, T. H. LILLEY and E. HASLAM

Number 36
Evolutionary aspects of caffeoyl ester distribution in dicotyledons 2411 P. MØLGAARD and H. RAVN

Number 37
Biochemistry, distribution and taxonomic relevance of higher plant alkaloids 2423 R. HEGNAUER

Growth and Metabolism
Cucumopine—a new T-DNA-encoded opine in hairy root and crown gall 2429 E. DAVIOUD, A. PETIT, M. E. TATE, M. H. RYDER and J. TEMPÉ

Hormonal induction and antihormonal inhibition of tracheary element differentiation in *Zinnia* cell cultures 2435 D. L. CHURCH and A. W. GALSTON

Conjugates of the 1′,4′-diols of abscisic acid with glucose 2441 G. T. VAUGHAN and B. V. MILBORROW

Induction of cinnamic acid 4-hydroxylase in developing maize seedlings 2447 K. ÔBA and E. E. CONN

Immunological patterns of distribution of bacterial denitrifying enzymes 2451 W. P. MICHALSKI and D. J. D. NICHOLAS

N-Feruloylglycine amidohydrolase from barley seeds and isolated barley embryos 2457 M. MARTENS, M. COTTENIE-RUYSSCHAERT, R. HANSELAER, L. DE COOMAN, K. V. CASTEELE and C. F. VAN SUMERE

Characteristics and specificity of purified *N*-feruloylglycine amidohydrolase from isolated barley embryos 2465 M. MARTENS, M. COTTENIE-RUYSSCHAERT, R. HANSELAER, L. DE COOMAN, K. V. CASTEELE and C. F. VAN SUMERE

Immunoaffinity purification of cyclic nucleotide phosphodiesterase from *Lactuca* cotyledons 2477 D. CHIATANTE, C. BALCONI, R. P. NEWTON and E. G. BROWN

Phenylalanine ammonia-lyase from illuminated buckwheat hypocotyls and production of monoclonal antibodies 2485 C. J. BELUNIS and G. HRAZDINA

Sterol requirements and paclobutrazol inhibition of a celery cell culture 2491 P. A. HAUGHAN, J. R. LENTON and L. J. GOAD

Ecological Biochemistry
Rapid elicitor-induced chemiluminescence in soybean cell suspension cultures 2501 W. A. LINDNER, C. HOFFMANN and H. GRISEBACH

Repression of laccase formation in *Botrytis cinerea* and its possible relation to phytopathogenicity 2505 N. Bar Nun, A. Tal Lev, E. Harel and A. M. Mayer

An immunologically active arabinogalactan from *Viscum album* 'berries' 2511 H. Wagner and E. Jordan

Volatile resin exudate from stem bark of *Commiphora rostrata*: potential role in plant defence 2519 P. G. McDowell, W. Lwande, S. G. Deans and P. G. Waterman

Menthofurans from *Calamintha ashei*: effects on *Schizachyrium scoparium* and *Lactuca sativa* 2523 N. Tanrisever, N. H. Fischer and G. B. Williamson

Leaf resin variation in *Copaifera langsdorfii*: relation to irradiance and herbivory 2527 E. B. Feibert and J. H. Langenheim

Insoluble phenolic compounds and resistance of potato tuber disc to *Phytophthora* and *Phoma* 2533 Y. A. Ampomah and J. Friend

Biosynthesis

Linolenic acid biosynthesis via glycerolipid molecular species in pea and spinach leaves 2543 H. Serghini-Caid, C. Demandre, A.-M. Justin and P. Mazliak

Gibberellin A_{12} and gibberellin A_{12}-7-aldehyde as endogenous compounds in developing seeds of *Pisum sativum* 2549 Y.-X. Zhu, P. J. Davies and A. Halinska

The biosynthesis of the benzoyl moiety of cocaine 2553 E. Leete, J. A. Bjorklund and S. H. Kim

Bisbenzylisoquinoline biosynthesis in *Berberis stolonifera* cell cultures 2557 R. Stadler, S. Loeffler, B. K. Cassels and M. H. Zenk

Cell Culture and Biotechnology

Co-ordinated inhibition of squalene synthetase and induction of enzymes of sesquiterpenoid phytoalexin biosynthesis in cultures of *Nicotiana tabacum* 2567 D. R. Threlfall and I. M. Whitehead

Chemotaxonomy

Chemotaxonomy of the Acanthaceae. Iridoids and quaternary amines 2581 H. F. W. Jensen, S. R. Jensen and B. J. Nielsen

Chemotaxonomic studies of rubiaceous plants containing iridoid glycosides 2591 H. Inouye, Y. Takeda, H. Nishimura, A. Kanomi, T. Okuda and C. Puff

Oplopane derivatives from *Acrisione denticulata* 2599 M. A. Aal, F. Bohlmann, T. Sarg, M. El-Domiaty and B. Nordenstam

Fatty acids and cyclic bis(bibenzyls) from the New Zealand liverwort *Monoclea forsteri* 2603 M. Toyota, F. Nagashima and Y. Asakawa

A chemical appraisal via leaf flavonoids of Dahlgren's Liliiflorae 2609 C. A. Williams, J. B. Harborne and B. Mathew

Distribution of 6-hydroxy-, 6-methoxy- and 8-hydroxyflavone glycosides in the Labiatae, the Scrophulariaceae and related families 2631 F. A. Tomás-Barberán, R. J. Grayer-Barkmeijer, M. I. Gil and J. B. Harborne

Flavonoids of *Adenothamnus validus* 2647 W. J. Crins and B. A. Bohm

Flavonoids and the relationship of *Itea* to the Saxifragaceae 2651 B. A. Bohm, G. Chalmers and U. G. Bhat

3′-O-β-Xylosyltricetin, a novel flavone glycoside from *Trema humbertii* 2655 M. Rakotovao, B. Voirin, C. Bayet, J. Favre-Bonvin and M. Andriantsiferana

Flavonoid patterns in the *Koeleria cristata* species complex 2657 B. Rolly, M. Jay and R. Bajon

Flavonoid variability within *Pinus sylvestris* 2663 C. Laracine-Pittet and P. Lebreton

Distribution of anthocyanins in wild and cultivated banana varieties 2667 J. P. Horry and M. Jay

3-Methoxyflavones with unusual B-ring substitution from two species of *Notholaena* 2673 E. Wollenweber, D. Marx, J. Favre-Bonvin, B. Voirin and M. Kaouadji

Plant Chemistry

Four iridoid glucosides and a phenylpropanoid glycoside from *Sesamum angolense* 2677 O. Potterat, J. D. Msonthi and K. Hostettmann

A novel enol-pseudoguaianolide from *Psilostrophe cooperi* 2681 Helga Stuppner, H. Stuppner and E. Rodriguez

Pseudoguaianolides and sesquiterpene glucoside from *Gaillardia coahuilensis* 2685 F. Gao, B. L. Turner and T. J. Mabry

Guaianolides and other constituents from *Vernonia nitidula* 2691 A. Bardón, C. A. N. Catalán, A. B. Gutiérrez and W. Herz

Gibberellins in seeds of *Helianthus annuus* 2695 M. Hutchinson, P. Gaskin, J. MacMillan and B. O. Phinney

Structure of sawaranin: a decarboxylated ascorbigen in the heartwood of *Chamaecyparis pisifera* 2703 S. Hasegawa, Y. Hirose and H. Erdtman

Dihydrobenzofurans from *Heterobasidion annosum* 2709 D. M. X. Donnelly, N. Fukuda, I. Kouno, M. Martin and J. O'Reilly

Mass spectrometry in the differentiation of flavanones and dihydroflavonols 2715 F. Balza, W. J. Crins, B. A. Bohm and G. H. N. Towers

10-Demethoxykopsidasinine from *Kopsia jasminiflora* 2719 M. O. Hamburger, G. A. Cordell, K. Likhitwitayawuid and N. Ruangrungsi

Number 9

Growth and Metabolism

New method for the measurement of membrane permeability for ^3H_2O in plant tissues 2725 W. A. E. De Clerck and J. M. C. Geuns

Immobilization of protocatechuate 3,4-dioxygenase from *Pleurotus ostreatus* on activated porous glass beads 2731 M. Wojtaś-Wasilewska, J. Luterek and J. Rogalski

Stimulation by manganese(II) sulphate of a cAMP-dependent protein kinase from *Zea mays* seedlings 2735 B. Janistyn

An immunologically distinct form of α-D-mannosidase in *Canavalia ensiformis* leaf 2737 K. Niyogi and M. Singh

The occurrence of UDPG-dependent glucosyltransferase specific for sarsasapogenin in *Asparagus officinalis* 2743 C. Pączkowski and Z. A. Wojciechowski

Structure–function relationships of nicotianamine analogues 2749 G. Scholz, J. Faust, H. Ripperger and K. Schreiber

Ecological Biochemistry

Volatile compounds from the flowers of *Spathiphyllum cannaefolium* 2755 J. A. Lewis, C. J. Moore, M. T. Fletcher, R. A. Drew and W. Kitching

Occurrence of ipsdienol in floral fragrances 2759 W. M. Whitten, H. G. Hills and N. H. Williams

Essential oil produced by *Chrysosporium xerophilum* in coconut 2761 J. L. Kinderlerer, P. V. Hatton, A. J. Chapman and M. E. Rose

Transformation of isovelleral by the parasitic fungus *Calcarisporium arbuscula* 2765 H. Anke and O. Sterner

Characterization of a γ-radiation-induced antifungal stress metabolite in citrus peel — 2769 — I. A. Dubery, C. W. Holzappel, G. J. Kruger, J. C. Schabort and M. Van Dyk

7-Deacetyl-17β-hydroxyazadiradione, a new limonoid insect growth inhibitor from *Azadirachta indica* — 2773 — S. M. Lee, J. I. Olsen, M. P. Schweizer and J. A. Klocke

Cytotoxic steroids from the mushroom *Agaricus blazei* — 2777 — H. Kawagishi, R. Katsumi, T. Sazawa, T. Mizuno, T. Hagiwara and T. Nakamura

Specificity of signal compounds detected by *Agrobacterium tumefaciens* — 2781 — P. A. Spencer and G. H. N. Towers

Caffeoyl conjugates from *Echinacea* species: structures and biological activity — 2787 — A. Cheminat, R. Zawatzky, H. Becker and R. Brouillard

Antitumour and cytotoxic xanthones of *Psorospermum febrifugum* — 2795 — M. Abou-Shoer, F. E. Boettner, C. Chang and J. M. Cassady

Biosynthesis

Comparative biochemistry of chalcone isomerases — 2801 — R. A. Dixon, E. R. Blyden, M. P. Robbins, A. J. Van Tunen and J. N. Mol

Cell Culture and Biotechnology

Enantiospecific hydrolysis of acetates of racemic monoterpenic alcohols by *Spirodela oligorrhiza* — 2809 — P. Pawłowicz, K. Piątkowski and A. Siewiński

Triterpenoids of *Paeonia japonica* callus tissue — 2813 — A. Ikuta and H. Itokawa

Chemotaxonomy

Characterization, amino acid sequence and phylogenetic considerations regarding the ferredoxin from *Ochromonas danica* — 2817 — R. Masui, K. Wada, H. Matsubara, M. M. Williams and L. J. Rogers

Properties and amino acid sequence of the ferredoxin from the unicellular cyanobacterium *Synechococcus* 6307 — 2821 — R. Masui, K. Wada, H. Matsubara and L. J. Rogers

Hydroxy and normal fatty acid distribution in stigmas of *Nicotiana* and other plants — 2827 — A. Koiwai and T. Matsuzaki

Distribution of cyclopropenoid fatty acids in Malvaceous plant parts — 2831 — K. M. Schmid and G. W. Patterson

The first 12.8β-germacrolide and other constituents from Bolivian *Stevia* species — 2835 — C. Zdero, F. Bohlmann, R. M. King and H. Robinson

The major flavonoids of an Antarctic *Bryum* — 2843 — K. R. Markham and D. R. Given

Plant Chemistry

Isolation and characterization of the lectins from the seeds of *Psophocarpus scandens* — 2847 — A. A. Kortt

Structural analysis of secreted slime from wheat and cowpea roots — 2857 — S. F. Moody, A. E. Clarke and A. Bacic

Two cyclobotryococcenes from the B race of the green alga *Botryococcus braunii* — 2863 — M. David, P. Metzger and E. Casadevall

Monoterpene glucosides from *Berchemia racemosa* — 2869 — S. Inoshiri, M. Saiki, H. Kohda, H. Otsuka and K. Yamasaki

Composition of xylem resin from *Pinus wallichiana* and *P. roxburghii* — 2873 — J. J. W. Coppen, J. M. Robinson and A. N. Kaushal

Kanshone C, a sesquiterpenoid of *Nardostachys chinensis* roots — 2877 — A. Bagchi, Y. Oshima and H. Hikino

Sesquiterpene glycosides and other constituents from *Osteospermum* species — 2881 — J. Jakupovic, C. Zdero, L. Paredes and F. Bohlmann

Sesquiterpene lactones from *Gaillardia pulchella* — 2887 — S. Yu, N. Fang, T. J. Mabry, K. A. Abboud and S. H. Simonsen

Germacranolides and other constituents from *Ageratina* species	2893	G. Tamayo-Castillo, J. Jakupovic, F. Bohlmann, A. Rojas, V. Castro and R. M. King
Clerodane diterpenoids from *Polyalthia longifolia*	2899	A. P. Phadnis, S. A. Patwardhan, N. N. Dhaneshwar, S. S. Tavale and T. N. G. Row
Clerodane diterpenoids from *Salvia melissodora*	2903	B. Esquivel, A. Vallejo, R. Gaviño, J. Cárdenas, A.-A. Sánchez, T. P. Ramamoorthy and L. Rodriguez-Hahn
Dolastane diterpenes from the marine brown alga *Dictyota cervicornis*	2907	A. Kelecom and V. L. Teixeira
Triterpenes from *Ganoderma lucidum*	2911	M.-S. Shiao, L.-J. Lin and S.-F. Yeh
Six novel secodammarane-type triterpenes from male flowers of *Alnus japonica*	2915	T. Aoki, S. Ohta and T. Suga
Two novel hexacyclic triterpenoids from *Prunella vulgaris*	2921	H. Kojima, H. Tominaga, S. Sato, H. Takayanagi and H. Ogura
Quinovic acid glycosides from *Guettarda platypoda*	2927	R. Aquino, F. De Simone, C. Pizza, R. Cerri and J. F. De Mello
24,24-Dimethyl-5α-cholestan-3β-ol, a sterol from *Gynostemma pentaphyllum*	2931	T. Akihisa, H. Mihara, T. Fujikawa, T. Tamura and T. Matsumoto
Atratosides A, B, C and D, steroid glycosides from the root of *Cynanchum atratum*	2935	Z.-X. Zhang, J. Zhou, K. Hayashi and K. Kaneko
Steroid sapogenins from *Nothoscordum gramineum* var. *Philippianum* and *Tristagma uniflorum*	2943	M. C. Brunengo, O. L. Tombesi, D. Doller and E. G. Gros
Five phenylpropanoid glycosides from *Mussatia*	2947	C. Jimenez, M. C. Villaverde, R. Riguera, L. Castedo and F. R. Stermitz
Diterpenes and 5-methyl coumarin derivatives from *Gypothamnium pinifolium* and *Plazia daphnoides*	2953	C. Zdero, F. Bohlmann and H. M. Niemeyer
Xanthones and phenylcoumarins from *Kielmeyera pumila*	2961	T. J. Nagem and M. De A. e Silva
Cyanidin 3-malonylglucuronylglucoside in *Bellis* and cyanidin 3-malonylglucoside in *Dendranthema*	2963	N. Saito, K. Toki, T. Honda and K. Kawase
Flavonoid glycosides from *Anthyllis sericea*	2967	J. Adell, O. Barbera and J. A. Marco
Prenylflavanols from *Tephrosia quercetorum*	2971	F. Gómez-Garibay, L. Quijano, J. S. Calderón, S. Morales and T. Ríos
Prenylisoflavones from *Euchresta japonica*	2975	M. Mizuo, K.-I. Tamura, T. Tanaka and M. Iinuma
Araliopdimerines A, B, and C, dimeric quinolone alkaloids from the bark of *Araliopsis tabouensis*	2979	B. T. Ngadjui, J. F. Ayafor, B. L. Sondengam, M. Koch, F. Tillequin and J. D. Connolly
Short Reports		
Abscisic acid from *Alternaria brassicae*	2983	J. S. Dahiya, J. P. Tewari and D. L. Woods
An isobutylamide and beyerene derivatives from *Brachycome* species	2984	C. Zdero, F. Bohlmann, R. M. King and N. S. Lander

Tetraphyllin B from *Adenia cissampeloides*	2985	F. N. I. Morah
Guaianolides from *Baccharis salicina*	2987	F. J. Parodi and N. H. Fischer
Piptocarphol esters and other constituents from *Vernonia cognata*	2989	A. Bardon, C. A. N. Catalan, A. B. Gutiérrez and W. Herz
Germacranolides from *Jurinea eriobasis*	2991	A. Rustaiyan and M. Ganji
A dithiophene from *Aphyllocladus denticulatus*	2993	Z. Maldonado, M. Hoeneisen and M. Silva
Azulenes, labdanes and a furocurcumene from *Ixiolaena leptolepis*	2994	L. Lehmann, J. Jakupovic, F. Bohlmann, R. M. King and L. Haegi
Rhamnofolane derivatives from *Jatropha grossidentata*	2997	J. Jakupovic, M. Grenz and G. Schmeda-Hirschmann
Taccalonolide C and D, two pentacyclic steroids of *Tacca plantaginea*	2999	Z.-L. Chen, B.-D. Wang and J.-H. Shen
Fusarubinoic acid, a new naphthoquinone from the fungus *Nectria haematococca*	3002	D. Parisot, M. Devys and M. Barbier
4-Ethylgallic acid from two *Mimosa* species	3004	B. K. Mehta, K. S. Sharma and A. Dubey
Dehydrojuncusol, a constituent of the roots of *Juncus roemerianus*	3006	H. Sarkar, M. Zerezghi and J. Bhattacharyya
An improved high yield synthesis of dehydrodieugenol	3008	A. De Farias Dias
Phenolic glycosides from *Salix babylonica*	3010	F. Khatoon, M. Khabiruddin and W. H. Ansari
An acetylated saponin from *Panax pseudo-ginseng* subsp. *himalaicus* var. *angustifolius*	3012	Y. N. Shukla and R. S. Thakur
A novel stilbene from the wood of *Chlorophora excelsa*	3014	L. P. Christensen, J. Lam and T. Sigsgaard
Quercetin 3-rhamnosyl (1→2) galactoside from *Lysimachia vulgaris* var. *davurica*	3017	K. Yasukawa and M. Takido
Quercetin 3-glucuronide-3′-sulphate from *Hypericum elodes*	3019	R. M. Seabra and A. Correia Alves
Semecarpetin, a biflavanone from *Semecarpus anacardium*	3020	S. S. N. Murthy
Emeheterone, a pyrazinone derivative from *Emericella heterothallica*	3022	N. Kawahara, K. Nozawa, S. Nakajima and K. Kawai
^{13}C NMR spectra of 4-keto steroidal alkaloids	3024	A. Usubillaga
Simplexine (14-hydroxy-4-methoxy-13,14-dihydronorsecurinine): an alkaloid from *Phyllanthus simplex*	3027	R. S. Negi and T. M. Fakhir
Picrasidine-U, dimeric alkaloid from *Picrasma quassioides*	3029	K. Koike and T. Ohmoto
Solanudine, a steroidal alkaloid from *Solanum nudum*	3031	A. Usubillaga

Book Reviews

The Euphorbiales—Chemistry, Taxonomy and Economic Botany: edited by S. L. Jury, T. Reynolds, D. F. Cutler and F. J. Evans	3033	J. B. Harborne
In vitro Culture of Higher Plants: by R. L. M. Pierik	3033	J. B. Harborne
The Trees of North America. by A. Mitchell	3034	J. B. Harborne
River Plants of Western Europe: by S. M. Haslam	3034	J. R. Akeroyd

Number 10

Review Article Number 38
Triterpenoid saponins 3037 S. B. Mahato, S. K. Sarkar and G. Poddar

Growth and Metabolism
Measurement of sublimation heat of indole-3-acetic acid and evaporation heat of indolylacetonitrile 3069 F. Galán-Estella, J. González-Julián and P. Aguado-Rodríguez

The selective inhibition of catechol oxidases by salicylhydroxamic acid 3075 A. C. Allan and J. R. L. Walker

Partial purification and properties of invertase from *Carica papaya* fruits 3077 M. E. Lopez, M. A. Vattuone and A. R. Sampietro

Oil bodies and lipid synthesis in developing soybean seeds 3083 J. M. Garcia, L. C. Quintero and M. Mancha

Microbiological transformations of artemisinic acid 3089 S. A. Elmarakby, F. S. El-Feraly, H. N. Elsohly, E. M. Croom and C. D. Hufford

Uncoupling properties of three flavonols from plane-tree buds 3093 S. Creuzet, P. Ravanel, M. Tissut and M. Kaouadji

Ecological Biochemistry
Majusculamide D and deoxymajusculamide D, two cytotoxins from *Lyngbya majuscula* 3101 R. E. Moore and M. Entzeroth

Phytoalexin accumulation in tissues of *Brassica napus* inoculated with *Leptosphaeria maculans* 3105 J. S. Dahiya and S. R. Rimmer

Effects of water stress and salinity on sterols in *Zea mays* shoots 3109 F. Navari-Izzo, R. Izzo, F. Bottazzi and A. Ranieri

Seiricuprolide, a new phytotoxic macrolide from a strain of *Seiridium cupressi* infecting cypress 3117 A. Ballio, A. Evidente, A. Graniti, G. Randazzo and L. Sparapano

De-*O*-methyldiaporthin, a phytotoxin from *Drechslera siccans* 3123 Y. F. Hallock, J. Clardy, D. S. Kenfield and G. Strobel

Diaryldimethylbutane lignans from *Myristica argentea* and their antimicrobial action against *Streptococcus mutans* 3127 N. Nakatani, K. Ikeda, H. Kikuzaki, M. Kido and Y. Yamaguchi

Biosynthesis
The microbiological transformation of some *ent*-15β-hydroxy-kaurenes by *Gibberella fujikuroi* 3131 B. M. Fraga, M. G. Hernandez, C. E. Diaz, P. Gonzalez and R. Guillermo

Cell Culture and Biotechnology
Conversion of tryptamine to serotonin by cell suspension cultures of *Peganum harmala* 3137 D. Courtois, D. Yvernel, B. Florin and V. Petiard

Digitoxigenin-3β-*O*-[β-D-fucopyranosyl-4′-β-D-glucopyranoside], the main cardenolide of somatic embryos of *Digitalis lanata* 3143 J. M. Beale, H. G. Floss, T. Lehmann and M. Luckner

Chemotaxonomy
Chloromethane biosynthesis in poroid fungi 3147 D. B. Harper, J. T. Kennedy and J. T. G. Hamilton

Flavonoids and other phenolics from *Artemisia hispanica* 3155 J. A. Marco, O. Barberá, S. Rodríguez, C. Domingo and J. Adell

Biflavonoids in the Julianiaceae 3161 B. S. Wannan and C. J. Quinn

Plant Chemistry
Characterization of anti-complementary neutral polysaccharides from the roots of *Bupleurum falcatum* 3163 H. Yamada, K.-S. Ra, H. Kiyohara, J.-C. Cyong, H. C. Yang and Y. Otsuka

A new fatty acid methyl ester and other biologically active compounds from *Aspergillus niger*	3169	M. G. Nair and B. A. Burke
Two iridoids from *Viburnum lantana*	3175	N. Handjieva, I. Baranovska, B. Mikhova and S. Popov
Sesquiterpene lactones from *Gnephosis* species	3181	J. Jakupovic, A. Schuster, F. Bohlmann, R. M. King and N. S. Lander
Terpenoids from *Ageratina saltillensis*	3187	N. Fang, S. Yu, T. J. Mabry, K. A. Abboud and S. H. Simonsen
Terpenoids from *Acamptopappus sphaerocephalus* and *A. shockleyi*	3197	S. D. Jolad, J. J. Hoffmann, B. N. Timmermann, S. P. McLaughlin, R. B. Bates, F. A. Camou and J. R. Cole
Diterpenes from the fruits of *Xylopia aromatica*	3205	M. P. L. Moraes and N. F. Roque
New diterpenoids from *Croton argyrophylloides*	3209	F. J. Q. Monte, E. M. G. Dantas and R. Braz F.
The cytotoxic principles of *Hyptis capitata* and the structures of the new triterpenes hyptatic acid-A and -B	3213	T. Yamagishi, D.-C. Zhang, J.-J. Chang, D. R. McPhail, A. T. McPhail and K.-H. Lee
Pentacyclic triterpenoid rhamnosides from *Combretum imberbe* leaves	3217	C. B. Rogers
Two phenolic *friedo*-23,24-dinoroleanane triterpenes from *Kokoona zeylanica*	3221	C. B. Gamlath and A. A. L. Gunatilaka
Cucurbitacins of *Colocynthis vulgaris*	3225	C. B. Gamlath, A. A. L. Gunatilaka, K. A. Alvi, A.-ur-Rahman and S. Balasubramaniam
14α-Methylzymosterol and other sterols from *Wrightia tinctoria* seeds	3231	T. Akihisa, I. Ahmad, S. Singh, T. Tamura and T. Matsumoto
The steroidal glycosides of the flowers of *Yucca gloriosa*	3235	K. Nakano, E. Matsuda, K. Tsurumi, T. Yamasaki, K. Murakami, Y. Takaishi and T. Tomimatsu
Prostaglandins; identification and content in higher plants	3241	E. D. Levin, V. E. Cherepanova, I. A. Zimovtseva and T. O. Sedlova
Ghalakinoside, a cytotoxic cardiac glycoside from *Pergularia tomentosa*	3245	M. S. Al-Said, M. S. Hifnawy, A. T. McPhail and D. R. McPhail
Alterporriol C; a modified bianthraquinone from *Alternaria porri*	3251	R. Suemitsu, T. Ueshima, T. Yamamoto and S. Yanagawase
Bianthraquinones and a spermidine alkaloid from *Cassia floribunda*	3255	G. Alemayehu, B. Abegaz, G. Snatzke and H. Duddeck
Phaseoloidin, a homogentisic acid glucoside from *Entada phaseoloides*	3259	A. K. Barua, M. Chakrabarty, P. K. Datta and S. Ray
5-Methyl coumarins and chromones from *Triptilion* species	3263	M. Bittner, J. Jakupovic, F. Bohlmann, M. Grenz and M. Silva
Phenanthrenes of *Eulophia nuda*	3267	P. Tuchinda, J. Udchachon, K. Khumtaveeporn, W. C. Taylor, L. M. Engelhardt and A. H. White

Prenyl flavanes from *Marshallia* species 3273 J. Jakupovic, L. Paredes, F. Bohlmann and L. Watson

Potentillanin, a biflavanoid and a procyanidin glycoside from *Potentilla viscosa* 3277 B. Zhang, G. Nonaka and I. Nishioka

Acetylated and other flavonoid glycosides from *Arnica chamissonis* 3281 I. Merfort

Alkaloid *N*-oxides of Amaryllidaceae 3285 R. Suau, A. I. Gómez, R. Rico, M. P. V. Tato, L. Castedo and R. Riguera

Pyrrolizidine alkaloids from *Crotalaria lachnosema* and *C. naragutensis* 3289 A. R. Mattocks and N. Nwude

Alkaloids from roots of *Strychnos matopensis* 3293 G. Massiot, B. Massoussa, M.-J. Jacquier, P. Thépénier, L. Le Men-Olivier, C. Delaude and R. Verpoorte

Short Reports

L-2-Amino-7-hydroxyoctanoic acid: an amino acid from *Russula cyanoxantha* 3305 Y. Aoyagi, N. Nakamura and T. Sugahara

β-Hydroxy-L-valine from *Pleurocybella porrigens* 3306 Y. Aoyagi and T. Sugahara

Acetylenic compounds and other constituents from *Cineraria* species 3307 L. Lehmann, J. Jakupovic, F. Bohlmann and L. Vincent

Coleoside, a monoterpene glycoside from *Coleus forskohlii* 3309 B. Ahmed and R. A. Vishwakarma

Fusalanipyrone, a monoterpenoid from *Fusarium solani* 3310 W.-R. Abraham and H.-A. Arfmann

Sesquiterpene lactones from *Chromolaena opadoclinia* 3312 N. H. El-Sayed, M. Miski, A. T. Whittemore and T. J. Mabry

8-*epi*-Pipertriol, a lactarane sesquiterpene from *Lactarius necator* 3315 W. M. Daniewski, M. Gumulka, K. Ptaszynska, G. Vidari, L. Garlaschelli, G. Fronza and M. Budĕšinsky

Bicyclogermacrene type sesquiterpenoid from the liverwort *Conocephalum conicum* 3317 M. Toyota, F. Nagashima, Y. Fukuyama, S. Honda and Y. Asakawa

Mandassidione and other sesquiterpenic ketones from *Cyperus articulatus* 3319 B. Nyasse, R. Ghogomu Tih, B. L. Sondengam, M. T. Martin and B. Bodo

seco-Manool and other constituents from *Fleischmannia microstemon* 3322 C. Tamayo-Castillo and V. Castro

Spirostanol glycoside from fruits of *Asparagus officinalis* 3324 G. Pant, M. S. Panwar, D. S. Negi, M. S. M. Rawat and G. A. Morris

A spirostanol glycoside from the rhizomes of *Ophiopogon intermedius* 3326 M. S. M. Rawat, D. S. Negi, M. S. Panwar and G. Pant

(*E*)-*O*-*p*-Coumaroyl-, (*E*)-*O*-feruloyl-derivatives of glucaric acid in citrus 3327 B. Risch, K. Herrmann and V. Wray

p-Hydroxyacetophenone derivatives of the monotypic genus *Platypodanthera* 3329 L. Paredes, J. Jakupovic, F. Bohlmann, R. M. King and H. Robinson

Irispurinol, a 12a-hydroxyrotenoid from *Iris spuria* 3331 A. S. Shawl, N. Mengi, L. N. Misra and Vishwapaul

A biflavonoid from *Garcinia nervosa* 3332 V. Babu, S. M. Ali, S. Sultana and M. Ilyas

Alkaloids of *Thalictrum lankesteri* 3335 J. A. López, M.-C. Lin and P. L. Schiff, Jr

Aristolasol and aristolasene: indole alkaloids from *Aristotelia australasica* 3337 J. C. Quirion, C. Kan-Fan, I. R. C. Bick and H. P. Husson

Nuphacristine—an alkaloid from *Nuphar luteum* 3339 J. Cybulski, K. Bąbel, K. Wojtasiewicz, J. T. Wróbel and D. B. MacLean

(+)-*N*-Acetyl-*N*-demethylcyclomicrobuxeine—isolation, structure and conformational studies 3342 A.-ur-Rahman, M. Alam and M. I. Choudhary

Book Reviews

Combating Resistance to Xenobiotics: edited by M. G. Ford, D. W. Holloman, B. P. S. Khambay and R. M. Sawacki 3345 J. B. Harborne

Solute Transport in Plant Cells and Tissues: edited by D. A. Baker and J. L. Hall 3345 P. John

Air Pollution and its Influence on Vegetation: edited by H. G. Dässler and S. Börtitz 3346 H. Mehlhorn

Drought Tolerance in Winter Cereals: edited by J. P. Srivastava, E. Porceddu, E. Acevedo and S. Varma 3346 A. Mayer

Number 11

Review Article Number 39

Hydroxamic acids (4-hydroxy-1,4-benzoxazin-3-ones), defence chemicals in the Gramineae 3349 H. M. Niemeyer

Growth and Metabolism

Interference by flavone and flavonols with chloroplast-mediated electron transport and phosphorylation 3359 D. E. Moreland and W. P. Novitzky

Carbon monoxide sensitivity of cytochrome *c* oxidase in male sterile seedlings of sorghum 3367 S. V. Munjal, B. B. Desai, S. Y. Daftardar, D. R. Bapat, and M. S. Naik

Purification and properties of NAD-glutamate dehydrogenase from turnip mitochondria 3373 T. Itagaki, I. B. Dry and J. T. Wiskich

Purification and characterization of cysteine synthase from *Brassica juncea* 3379 F. Ikegami, M. Kaneko, M. Kobori and I. Murakoshi

Purification and properties of β-cyano-L-alanine synthase from *Lathyrus latifolius* 3385 F. Ikegami, K. Takayama and I. Murakoshi

An endogenous inhibitor of folylpolyglutamate synthetase in *Neurospora crassa* 3391 E. A. Cossins and P. Y. Chan

Fungal enzymic activity degrading 1,4-α-D-glucans to 1,5-D-anhydrofructose 3401 M.-A. Baute, R. Baute, and G. Deffieux

Lipid changes in maturing and germinating cottonseeds 3405 S. S. Pandey and V. V. R. Subrahmanyam

Changes in the steryl lipid content and composition of tomato fruit during ripening 3411 B. D. Whitaker

Ecological Biochemistry

(L)-2,5-Dihydrophenylalanine from the fireblight pathogen *Erwinia amylovora* 3417 G. J. Feistner

Pinitol and myo-inositol accumulation in water-stressed seedlings of maritime pine 3423 A. Nguyen and A. Lamant

Production of carpel wall phytoalexins in the developing cotton boll 3429 H. J. Zeringue, Jr

Structure and antibacterial activity of plantamajoside, a caffeic acid sugar ester from *Plantago major* subsp. *major* 3433 H. Ravn and L. Brimer

Luteolin 7-*O*-(6″-*O*-malonyl)-β-D-glucoside and *trans*-chlorogenic acid: oviposition stimulants for the black swallowtail butterfly 3439 P. Feeny, K. Sachdev, L. Rosenberry and M. Carter

Antimicrobial pterocarpans of Nigerian *Erythrina mildbraedii* 3449 L. A. Mitscher, S. K. Okwute, S. R. Gollapudi, S. Drake and E. Avona

Biosynthesis

Incorporation of cysteine and selenocysteine into cystathionine and selenocystathionine by crude extracts of spinach 3453 J. C. Dawson and J. W. Anderson

Biosynthesis of 2-(2′-methylthio)ethylmalate in *Brassica carinata* 3461 C. C. S. Chapple, C. Decicco and B. E. Ellis

Biosynthesis of abscisic acid from α-ionylideneethanol in *Cercospora pini-densiflorae* 3465 M. Okamoto, N. Hirai and K. Koshimizu

1,2-Hydrogen shifts in the formation of the sesquithujane skeleton in ginger rhizomes 3471 P. K. Sharma, R. S. Thakur and A. Akhila

Cell Culture and Biotechnology

Biotransformation of digitoxigenin by cell suspension cultures of *Strophanthus amboensis* 3475 K. Kawaguchi, M. Hirotani and T. Furuya

Accumulation of flaviolin, 4-hydroxyscytalone and 2-hydroxyjuglone in tricyclazole-treated cultures of *Leptosphaeria maculans* 3481 J. S. Dahiya and S. R. Rimmer

Polyphenols of *Quercus robur*: adult tree and *in vitro* grown calli and shoots 3483 A. Scalbert, B. Monties and J.-M. Favre

Nicotinic acid-*N*-glucoside in heterotrophic parsley cell suspension cultures 3489 B. Upmeier, J. E. Thomzik and W. Barz

Chemotaxonomy

Fatty acid composition of some algae from the Black Sea 3495 K. Stefanov, M. Konaklieva, E. Y. Brechany and W. W. Christie

Interspecific variation in epicuticular waxes of *Chionochloa* 3499 M. G. Savill, R. Bickestaffe and H. E. Connor

13-*epi*-Neo- and 13-*epi*-homoverrucosane diterpenoids from the liverwort *Schistochila nobilis* 3509 Y. Asakawa, T. Masuya, M. Tori and Y. Fukuyama

Phenolic analysis of bud exudate of *Populus lasiocarpa* by GC/MS 3513 W. Greenaway, T. Scaysbrook and F. R. Whatley

Cell wall-conjugated phenolics from Coniferae leaves 3517 D. Strack, J. Heilemann, M. Mömken and V. Wray

Plant Chemistry

Minor amides of *Piper* species 3523 S. K. Koul, S. C. Taneja, V. K. Agarwal and K. L. Dhar

Feruloylbetanin from petals of *Lampranthus* and feruloylamaranthin from cell suspension cultures of *Chenopodium rubrum* 3529 D. Strack, M. Bokern, N. Marxen and V. Wray

Dithiacyclohexadienes and thiophenes of *Rudbeckia hirta* 3533 C. P. Constabel, F. Balza and G. H. N. Towers

Graciosin and graciosallene, two bromoethers from *Laurencia obtusa* 3537 M. Norte, J. J. Fernández, J. Z. Ruano, M. L. Rodríguez and R. Pérez

Sterones, iridoids and a sesquiterpene from *Verbascum thapsus*	3541	M. A. Khuroo, M. A. Qureshi, T. K. Razdan and P. Nichols
Sesquiterpenoids from *Coreocarpus arizonicus*	3545	S. D. Jolad, B. N. Timmermann, J. J. Hoffmann, R. B. Bates, F. A. Camou and J. R. Cole
Structure and stereochemistry of melitensin, an elemanolide from *Centaurea aspera* var. *stenophylla*	3549	A. Tortajada, M.-T. Picher, M.-M. Reventos and J.-M. Amigo
Eudesmanolides, 5,10-bis-*epi*-eudesmanes and oplopanone derivatives from *Ambrosia artemisioides*	3551	J. Jakupovic, M. Jaensch, F. Bohlmann and M. O. Dillon
Norpinguisone methyl ester and norpinguisanolide, pinguisane-type norsesquiterpenoids from *Porella elegantula*	3557	Y. Fukuyama, M. Tori, M. Wakamatsu and Y. Asakawa
Triterpenes from the stem bark of *Phyllanthus flexuosus*	3563	R. Tanaka, M. Tabuse and S. Matsunaga
Triterpenoids of the fungus *Pisolithus tinctorius*	3569	A. M. Lobo, P. M. de Abreu, S. Prabhakar, L. S. Godinho, R. Jones, H. S. Rzepa and D. J. Williams
Triterpenoids from *Glochidion heyneanum*	3575	R. Srivastava and D. K. Kulshreshtha
Triterpene constituents from *Euphorbia supina*	3579	R. Tanaka and S. Matsunaga
Saponins from roots of *Momordica cochinchinensis*	3585	N. Kawamura, H. Watanabe and H. Oshio
Saponins from leaves of *Aphloia theiformis*	3593	N. Gopalsamy, D. Vargas, J. Guého, C. Ricaud and K. Hostettmann
Minor petuniasterones from *Petunia hybrida*	3597	C. A. Elliger, M. Benson, R. E. Lundin and A. C. Waiss, Jr
Monocyclic cross-conjugated carotenal from an aerobic photosynthetic bacterium, *Erythrobacter longus*	3605	S. Takaichi, K. Shimada and J. Ishidsu
A new strain of *Streptomyces*: an anthracycline containing a *C*-glucoside moiety and a chiral decanol	3611	A. Arnone, R. Cardillo, G. Nasini, O. V. de Pava and S. Quaroni
ω-Oxygenated prenylated coumarins from *Ferula communis*	3619	G. Appendino, S. Tagliapietra, P. Gariboldi, G. M. Nano and V. Picci
Phenanthrene and stilbenes from *Pterolobium hexapetalum*	3625	R. J. Kumar, D. Jyostna, G. L. D. Krupadanam and G. Srimannarayana
Sesqui-, sester- and trilignans from stems of *Cerbera manghas* and *C. odollam*	3627	F. Abe, T. Yamauchi and A. S. C. Wan
Alternanthin a *C*-glycosylated flavonoid from *Alternanthera philoxeroides*	3633	B. Zhou, G. Blaskó and G. A. Cordell
Prenylated compounds from *Atalantia racemosa*: isolation and synthesis of two pyranoflavones	3637	A. Banerji, D. L. Luthria and B. R. Prabhu
Flavonol glycosides from *Epimedium sagittatum*	3641	M. Mizuno, N. Sakakibara, S. Hanioka, M. Iinuma, T. Tanaka, X. Liu and D. Shi

Flavonol glycosides in the roots of *Epimedium diphyllum* 3645 M. Mizuno, M. Iinuma, T. Tanaka, N. Sakakibara, T. Fujikawa, S. Hanioka, Y. Ishida, X. Liu and H. Murata

Alkaloids of *Amsonia brevifolia* 3649 P. Sharma, Y. Shirataki and G. A. Cordell

Alkaloids from *Alstonia macrophylla* 3653 A.-ur-Rahman, G. Ahmed, M. I. Choudhary, H.-ur-Rehman and K. T. De Silva

Dubiusine from *Narcissus dubius* 3657 J. Bastida, J. M. Llabres, F. Viladomat, C. Codina, M. Rubiralta and M. Feliz

Short Reports

Isolation and characterization of a protease from *Phytolacca americana* 3661 M. Kaneda, S. Izumi, T. Fukuda, T. Uchikoba and N. Tominaga

A camptothecin derivative from *Nothapodytes foetida* 3663 R. Aiyama, H. Nagai, K. Nokata, C. Shinohara and S. Sawada

Components from *Santolina rosmarinifolia*, subspecies *rosmarinifolia* and *canescens* 3664 M. P. Maqua, A. C. G. Vines, E. Caballero, M. C. Grande, M. Medarde and I. S. Bellido

Kanshones D and E, sesquiterpenoids of *Nardostachys chinensis* roots 3667 A. Bagchi, Y. Oshima and H. Hikino

A sesquiterpene lactone from *Artemisia arborescens* 3670 G. Grandolini, C. G. Casinovi, P. Betto, G. Fardella, F. Menichini, R. Gabriele, P. Barbetti, M. Kajtar-Peredy and L. Radics

Sesquiterpene lactones from *Leuzea longifolia* 3672 S. M. B. P. Santos, F. M. S. B. Palma, J. G. Urones and M. Grande

Two taxane diterpenes from *Taxus mairei* 3674 J. Lian, Z. Min, M. Mizuno, T. Tanaka and M. Iinuma

Dramatic variation in diterpenoids of different populations of *Bellardia trixago* 3676 A. F. Barrero, J. F. Sanchez and F. G. Cuenca

Lageflorin, a pentacyclic triterpene from *Lagerstroemia parviflora* 3679 B. R. Barik and A. B. Kundu

Abietane quinones from *Rabdosia lophanthoides* 3681 X. Yunlong, M. Yunbao, Z. Lin and S. Handong

Vertinone and verticilone, two phenylbutenones from *Dysophyla verticillata* 3683 A. Chakrabarti and D. P. Chakraborty

Arylnaphthalene lignan from *Jatropha gossypifolia* 3684 B. Das and J. Banerji

A phenol from the brown alga *Perithalia caudata* 3686 A. J. Blackman, G. I. Rogers and J. K. Volkman

A dihydrofuranocoumarin from *Peucedanum oreoselinum* 3688 E. Lemmich and L. Gylle

Chromene glycosides from *Ageratina altissima* 3690 P. Proksch, L. Witte and V. Wray

Glycosides of two xanthones and a chromone from roots of *Chrozophora prostrata* 3692 A. Agrawal and J. Singh

Two xanthones from *Garcinia mangostana* 3694 M. Parveen and N. U. Khan

Two xanthone glycosides from *Gentiana lutea*	3696	T. HAYASHI and T. YAMAGISHI
A methylated chalcone glucoside from *Bidens pilosa*	3700	B. HOFFMANN and J. HÖLZL
Cyanidin 3-acetylrutinoside in *Eurya japonica* berries	3701	N. TERAHARA, M. YAMAGUCHI and K. SHIZUKUISHI
Novel cyanomaclurin analogue from *Peltophorum africanum*	3704	M. BAM, D. FERREIRA and E. V. BRANDT
Three flavonoids from *Ageratum tomentosum* var. *bracteatum*	3706	M. M. VÁZQUEZ, A. R. AMARO and P. JOSEPH-NATHAN
Flavonoids from *Physalis minima*	3708	N. A. SER
8-Hydroxytricetin 7-glucuronide, a β-glucuronidase inhibitor from *Scoparia dulcis*	3709	M. KAWASAKI, T. HAYASHI, M. ARISAWA, N. MORITA and L. H. BERGANZA
Epicuticular 5-*O*-methyl flavonols from *Cistus laurifolius*	3712	T. VOGT, P.-G. GÜLZ and V. WRAY
Malonated flavonol 3-glucosides in *Cicer arietinum*	3714	G. BÖRGER and W. BARZ
Lupin alkaloids from the seeds of *Thermopsis lupinoides*	3715	K. SAITO, S. TAKAMATSU, S. OHMIYA, H. OTOMASU, M. YASUDA, Y. KANO and I. MURAKOSHI
Alkaloids and coumarins of *Citrus grandis*	3717	T.-S. WU
The structure and partial synthesis of delelatine, an alkaloid from *Delphinium* species	3719	S. A. ROSS, H. K. DESAI, B. S. JOSHI, S. K. SRIVASTAVA, J. A. GLINSKI, S. Y. CHEN and S. W. PELLETIER
15β-Hydroxyvincadifformine, an alkaloid from the leaves of *Rhazya stricta*	3721	A.-UR-RAHMAN, T. FATIMA and S. KHANUM

Number 12

Announcement	vii	
Memorial Meeting	ix	J. B. HARBORNE
A personal appreciation of Tony Swain	x	K. JONES
The link between systematics and ecology	xi	E. A. BELL
Tannins—chemical ecology in action	xii	P. G. WATERMAN
Growth and Metabolism		
Phosphatidylserine activation of plant protein kinase C	3725	D. C. ELLIOTT, A. FOURNIER and Y. S. KOKKE
Cross-reactivity of polyclonal and monoclonal antibodies to polyphenoloxidase in higher plants	3731	T. LANKER, W. H. FLURKEY and J. P. HUGHES
Histochemical and immunochemical localization of tyrosinase in whole tissue sections of mushrooms	3735	B. M. MOORE, B. KANG and W. H. FLURKEY
β-*N*-Acetylhexosaminidase from soybean	3739	H. GERS-BARLAG, I. BARTZ and H. RÜDIGER
Selenoglucosinolates in nature: fact or myth?	3743	F. BERTELSEN, G. GISSEL-NIELSEN, A. KJÆR and T. SKRYDSTRUP
Biological activity of an aromatic analogue of abscisic acid	3751	J. A. R. LADYMAN, J. R. SANBORN and E. E. EELKEMA

N-Oxidation and degradation of pyrrolizidine alkaloids during germination of *Crotalaria scassellatii* 3757 G. Toppel, L. Witte and T. Hartmann

Ecological Biochemistry

2,3-Di-*O*- and 1,2,3-tri-*O*-acylated glucose esters from the glandular trichomes of *Datura metel* 3761 R. R. King and L. A. Calhoun

3,4-Di-*O*- and 2,3,4-tri-*O*-acylated glucose esters from the glandular trichomes of nontuberous *Solanum* species 3765 R. R. King, L. A. Calhoun and R. P. Singh

Diterpenic stress metabolites from cassava roots 3769 T. Sakai and Y. Nakagawa

Spinosides A and B. Two cytotoxic cucurbitacin glycosides from *Desfontainia spinosa* 3781 K. S. Reddy, A. J. Amonkar, T. G. McCloud, C. Chang and J. M. Cassady

Isolation and cytotoxicity of rhinacanthin-A and -B, two naphthoquinones, from *Rhinacanthus nasutus* 3787 T.-S. Wu, H.-J. Tien, M.-Y. Yeh and K.-H. Lee

Lenticellarine, a molluscicidal alkaloid from *Dysoxylum lenticellare* 3789 A. J. Aladesanmi, C. O. Adewunmi, C. J. Kelley, J. D. Leary, T. A. Bischoff, X. Zhang and J. K. Snyder

Biosynthesis

Biosynthesis of dioscorine from trigonelline in *Dioscorea hispida* 3793 E. Leete and R. H. Michelson

Cell Culture and Biotechnology

Metabolism of [^{3}H]gibberellin A_5 and [^{2}H]gibberellin A_5 in cell suspension cultures of *Prunus persica* 3799 M. Koshioka, R. P. Pharis, N. Matsuta and L. N. Mander

Enantioselectivity in the reduction of α-dicarvelone by cell suspension cultures of *Nicotiana tabacum* 3807 H. Hamada, N. Nakamura, S. Ito, S. Kawabe and T. Funamoto

A triterpene from *Akebia quinata* callus tissue 3809 A. Ikuta and H. Itokawa

Homogeneous strictosidine synthase from cell suspension cultures of *Rauvolfia serpentina* 3811 N. Hampp and M. H. Zenk

Chemotaxonomy

Similarities between sweet protein thaumatin and a pathogenesis-related protein from tobacco 3817 M. Cusack and W. S. Pierpoint

Classification of *Chlorella* strains by cell wall sugar composition 3823 H. Takeda

C_{14} Polyacetylenes from Brazilian Lobelioideae 3827 A. F. Magalhães, D. M. Vieira, E. G. Magalhães and G. J. Shepherd

Sesquiterpene lactones and other constituents from *Cassinia*, *Actinobole* and *Anaxeton* species 3831 J. Jakupovic, L. Lehmann, F. Bohlmann, R. M. King and H. Robinson

Major triterpenes from the resins of *Commiphora incisa* and *C. kua* and their potential chemotaxonomic significance 3841 G. J. Provan and P. G. Waterman

5-Methylcoumarins from *Nassauvia* species 3845 M. Bittner, J. Jakupovic, F. Bohlmann and M. Silva

Flavonoid distribution in *Arnica* subgenera *Montana* and *Austromontana* 3849 M. Ebert, I. Merfort and G. Willuhn

Plant Chemistry

Asperpentyn, a novel acetylenic cyclohexene epoxide from *Aspergillus duricaulis* 3853 A. Mühlenfeld and H. Achenbach

Polyoxygenated cyclohexane epoxide derivatives from the stem bark of *Monanthotaxis buchananii* 3857 G.-Y. Liang, A. I. Gray, D. W. Thomas and P. G. Waterman

Preparation of biologically active substances and animal and microbial metabolites from menthols, cineoles and kauranes	3861	Y. Asakawa, R. Matsuda, M. Tori and T. Hashimoto
Bisabolones and other constituents of *Mikania shushunensis*	3871	A. B. Gutierrez and W. Herz
11-Hydroxyjasionone, a new sesquiterpene type from *Jasonia montana*	3875	A. A. Ahmed, J. Jakupovic, F. Eid and A. A. Ali
Pinnatazane, a bridged cyclic ether sesquiterpene from *Laurencia pinnatifida*	3879	A.-ur-Rahman, V. U. Ahmad, S. Bano, S. A. Abbas, K. A. Alvi, M. S. Ali, H. S. M. Lu and J. Clardy
Melampolides from *Tetragonotheca* species	3881	J. Jakupovic, S. Hafez, F. Bohlmann and X. A. Dominguez
Terpenoids from *Curcuma heyneana*	3887	K. Firman, T. Kinoshita, A. Itai and U. Sankawa
Sesquiterpene lactones from *Chaenactis douglasii*	3893	N. Tanrisever and G. H. N. Towers
An acyclic diterpene and sesquiterpene lactones from *Tithonia pedunculata*	3897	A.-L. Pérez, A. Ortega and A. Romo de Vivar
Phenolic tricyclic diterpenoids from the bark of *Azadirachta indica*	3903	S. Siddiqui, I. Ara, S. Faizi, T. Mahmood and B. S. Siddiqui
Diterpenes from *Vellozia nanuzae*	3909	A. C. Pinto, R. S. da Silva and L. M. M. Valente
Norditerpenoids from *Vellozia pusilla*	3913	A. C. Pinto, L. M. M. Valente and R. S. da Silva
Bisnorditerpenes with a barbacenane skeleton from *Barbacenia flava*	3917	A. C. Pinto, M. do C. Frechiani and A. L. Pereira
Four pregnane glycosides, boucerosides AI, AII, BI and BII, from *Boucerosia aucheriana*	3919	K. Hayashi, I. Iida, Yu. Nakao, Yo. Nakao and K. Kaneko
14β,17β-Dihydroxywithanolides from *Jaborosa bergii*	3925	E. S. Monteagudo, G. Burton, C. M. Gonzalez, J. C. Oberti and E. G. Gros
(−)-Regiolone, an α-tetralone from *Juglans regia*: structure, stereochemistry and conformation	3929	S. K. Talapatra, B. Karmacharya, S. C. De and B. Talapatra
Meridinol, a lignan from *Zanthoxylum fagara*	3933	J. M. Amaro-Luis, F. R. Fronczek, G. M. Massanet, E. Pando, F. Rodríguez-Luis, S. F. Watkins and E. Zubía
A chalcone derivative from the bark of *Lindera umbellata*	3937	H. Shimomura, Y. Sashida, Y. Mimaki, M. Oohara and Y. Fukai
Flavonol glycosides from *Sedum acre*	3941	M. Wolbiś and M. Królikowska
Photodimerization of deacetylaspidospermine	3945	R. Erra-Balsells
Alkaloids of Formosan *Thalictrum sessile*	3949	Y.-C. Wu, T.-S. Wu, M. Niwa, S.-T. Lu and Y. Hirata
Alkaloids of *Alstonia angustifolia*	3955	K. Ghedira, M. Zeches-Hanrot, B. Richard, G. Massiot, L. Le Men-Olivier, T. Sevenet and S. H. Goh

Short Reports

Biosaturation of cyclopropene fatty acids in germinating cottonseed 3963 S. S. Pandey and V. V. R. Subrahmanyam

Palmitic acid ester of sitosteryl 3β-glucoside from *Centaurea regia* 3964 A. Ulubelen, S. Öksüz and A. H. Meriçli

Longipinene derivatives from *Lavandula stoechas* subsp. *stoechas* 3966 A. Ulubelen, N. Gören and Y. Olcay

Terpene acids from *Cedrus libani* 3967 H. Avcibasi, H. Anil and M. Toprak

Germacranolides from *Santolina rosmarinifolia* subsp. *canescens* 3969 A. F. Barrero, J. F. Sánchez and E. Arana

[1β,2β,3β-^{3}H$_3$]Gibberellin A_{20}: confirmation of structure by ^{3}H NMR and by mass spectrometry 3970 C. L. Willis, P. Gaskin and J. MacMillan

Two diterpenes with a cleistanthane skeleton from *Vellozia nivea* 3973 A. C. Pinto and A. M. P. Maçaira

A triterpene from the fruits of *Rubus chingii* 3975 M. Hattori, K.-P. Kuo, Y.-Z. Shu, Y. Tezuka, T. Kikuchi and T. Namba

Structural studies on a saponin isolated from *Nigella sativa* 3977 A. A. Ansari, S. Hassan, L. Kenne, A.-ur-Rahman and T. Wehler

Isolation and characterization of a saponin from *Fagonia indica* 3979 A. A. Ansari, L. Kenne, A.-ur-Rahman and T. Wehler

Lycopersiconol, a pregnane derivative from tomato stock roots 3982 T. Yoshihara, T. Nagaoka, J. Ohra and S. Sakamura

A glycoside from dried roots of *Cynanchum paniculatum* 3984 K. Sugama and K. Hayashi

A substituted cinnamoyl ester from *Cleistopholis staudtii* 3986 P. Tane, J. F. Ayafor and B. L. Sondengam

Arylalkanones from *Horsfieldia glabra* 3988 M. M. M. Pinto, A. Kijjoa, B. Tantisewie, M. Yoshida and O. R. Gottlieb

Ethyl brevifolin carboxylate and other constituents from *Acer oblongum* leaves 3990 N. Parveen, N. U. Khan, T. Inoue and M. Sakurai

Allylphenols from *Ocotea cymbarum* 3992 C. C. Andrei, R. Braz-Filho and O. R. Gottlieb

4,4′-Dihydroxychalcone from the heartwood of *Chamaecyparis obtusa* 3993 H. Ohashi, Y. Ido, T. Imai, K. Yoshida and M. Yasue

Flavonol glycosides from the fruits of *Rhamnus leptophylla* 3995 J. Wang, R. Kasai, M. Sakimori, M. Miyakoshi, O. Tanaka, M.-R. Jia and Y.-K. Ling

A benzofuran from *Ageratum houstonianum* 3996 R. Siebertz, P. Proksch, V. Wray and L. Witte

A 16,17-epoxy C_{20}-diterpenoid alkaloid from *Aconitum delphinifolium* 3998 P. Kulathaivel and M. H. Benn

Doriasenine, a pyrrolizidine alkaloid from *Senecio doria* 4000 E. Röder, H. Wiedenfeld and A. Pfitzer

Isolation and purification of panarine, an alkaloid from a Venezuelan curare 4002 J. Quetin-Leclercq, L. Angenot, L. Dupont and N. G. Bisset

Alkaloids from *Pseudowaria indochinensis* 4004 Zhong Shou-Ming, Zhao Shou-Shun and Xie Ning

Book Reviews

The Biochemistry of Plants: edited by P. K. Stumpf and E. E. Conn, Volume 13: Methodology: edited by D. D. Davies 4007 E. G. Brown

Sexuality in Plants and its Hormonal Regulation: by M. Kh. Chailakhyan and V. N. Khrianin	4007	A. Mayer
The Growing Plant Cell Wall: Chemical and Metabolic Analysis: by S. C. Fry	4008	J. D. Ross
Cell Culture in Phytochemistry, Volume 4 in the series Cell Culture and Somatic Cell Genetics of Plants: edited by F. Constabel and I. K. Vasil	4008	J. B. Harborne
Experimental Phycology: A Laboratory Manual: edited by C. S. Lobban, D. J. Chapman and B. P. Kremer	4009	L. J. Rogers
Genetics Resources of *Phaseolus* Beans: edited by P. Gepts	4010	J. G. Vaughan
Herbals: their Origin and Evolution: a Chapter in the History of Botany 1470–1670: by Agnes Arber	4010	S. L. Jury
Short Book Reviews	4011	J. B. Harborne
Headspace volatiles of whole plants and macerated plant parts of *Brassica* and *Sinapis*	4013	L. Tollsten and G. Bergström
Errata	4019	
Corrigenda	4019	